

TYPES OF FARMING IN CANADA

A CO-OPERATIVE STUDY BY THE ECONOMICS
DIVISION MARKETING SERVICE AND THE
CENSUS DIVISION DOMINION BUREAU OF
STATISTICS

By

S. C. HUDSON
R. A. STUTT
WM. VAN VLEIT
J. L. FORSYTH

ARCH
630.4
C212
P 825
1949

ED BY AUTHORITY OF THE RT. HON. JAMES G. GARDINER,
MINISTER OF AGRICULTURE, OTTAWA, CANADA

TABLE OF CONTENTS

TYPES OF FARMING IN CANADA

A Co-operative Study
by the Economics
Division Marketing
Service and the
Census Division
Dominion Bureau of
Statistics

By

S. C. HUDSON
R. A. STUTT
WM. VAN VLEIT
J. L. FORSYTH

Published by Authority of the Rt. Hon. James G. Gardiner,
Minister of Agriculture, Ottawa, Canada

	PAGE
FOREWORD.....	3
RELATION OF PHYSICAL AND ECONOMIC FACTORS TO THE GEOGRAPHIC DISTRIBUTION OF TYPES OF FARMING IN CANADA.....	5
Physical Factors.....	5
Climate.....	7
Topography.....	9
Soils.....	11
Economic Factors.....	11
PRODUCTION OF PRINCIPAL AGRICULTURAL PRODUCTS.....	13
The Use of Land Resources in Canada.....	13
Field Crops.....	15
Wheat.....	15
Oats.....	17
Barley.....	17
Hay.....	20
Flax.....	20
Rye.....	23
Mixed Grains.....	23
Corn.....	23
Buckwheat.....	25
Sugar Beets and Mangolds.....	25
Tobacco.....	25
Beans.....	25
Peas.....	25
Turnips.....	25
Vegetables.....	27
Potatoes.....	27
Fruits.....	27
Livestock.....	29
Cattle.....	31
Swine.....	31
Sheep.....	34
Horses.....	37
Poultry.....	37
Fur-Bearing Animals.....	39
Bees.....	39
GEOGRAPHICAL DISTRIBUTION OF FARM TYPES.....	40
Type of Farming Classification.....	40
Commercial Farms.....	43
Cash Grain Farms.....	43
Potato Farms.....	43
Sugar Beet Farms.....	43
Tobacco Farms.....	43
Fruit and Vegetable Farms.....	46
Beef Cattle Farms.....	46
Dairy Farms.....	49
Swine Farms.....	49
Sheep Farms.....	49
Miscellaneous and Forest Product Farms.....	52
Self-Sufficing Farms.....	52
Part-Time Farms.....	52
Semi-Commercial Farms.....	56

TABLE OF CONTENTS—*Concluded*

	PAGE
TYPES OF FARMING ACCORDING TO REGIONS.....	56
Classification of Type of Farming Areas.....	56
British Columbia.....	59
The Prairie Provinces.....	60
Ontario.....	61
Quebec.....	62
The Maritime Provinces.....	64

APPENDIX

TABLE 1. Percentage Distribution of the Utilization of Occupied Farm Land According to Type of Farming Areas, 1941.

TABLE 2. Percentage Distribution of Types of Farms According to Type of Farming Areas, 1941.

TABLE 3. Distribution of Farm Income According to Type of Farming Areas, 1941.

LIST OF FIGURES

FIGURE	PAGE
1. Occupied Lands in Farms, 1941.....	14
2. Productive Man-Work Units per Occupied Acre.....	16
3. Wheat Acreage, 1941.....	18
4. Oats Acreage, 1941.....	19
5. Barley Acreage, 1941.....	21
6. Hay Acreage, 1941.....	22
7. Rye Acreage, 1941.....	24
8. Market Garden Crops Acreage, 1941.....	26
9. Potatoes Acreage, 1941.....	28
10. Orchards and Vineyards Acreage, 1941.....	30
11. Cows Milked, 1941.....	32
12. Cattle (Kept for Beef), 1941.....	33
13. Swine, 1941.....	35
14. Sheep, 1941.....	36
15. Hens and Chickens, 1941.....	38
16. Cash Grain Farms, 1940.....	41
17. Potato Farms, 1940.....	42
18. Sugar Beet Farms, 1940.....	44
19. Tobacco Farms, 1940.....	45
20. Fruit and Vegetable Farms, 1940.....	47
21. Beef Cattle Farms, 1940.....	48
22. Dairy Farms, 1940.....	50
23. Swine Farms, 1940.....	51
24. Sheep Farms, 1940.....	53
25. Miscellaneous and Forest Product Farms, 1940.....	54
26. Self-Sufficing Farms, 1940.....	55
27. Part-Time Farms, 1940.....	57
28. Self-Sufficing Combination Farms, 1940.....	58
29. Map, Type of Farming Areas, 1941.....	in pocket

RELATION OF PHYSICAL AND ECONOMIC FACTORS TO THE GEOGRAPHIC DISTRIBUTION OF TYPES OF FARMING IN CANADA

FOREWORD

A relatively wide range of agricultural products is produced on Canadian farms. These products, varying in nature, are often widely distributed and raised in differing proportions. The distribution of the products and the efforts of farmers to adjust their cropping practices and livestock production are basically determined by physical conditions and modified by economic factors.

The term, type of farming, is used in this study in the commonly accepted manner to indicate the kind of farming followed on a group of farms having a high degree of uniformity. In a type-of-farming area a relatively small variation is found in the kinds of crops, the proportion of cropland devoted to each crop, the numbers, kinds and relation of livestock to improved land and in the usual methods of farm practice and conducting of the farm business.

It should be pointed out that the type-of-farming areas outlined in this study portray the farm situation as it existed in Canada according to the 1941 census. Changes in economic conditions, in machinery, newly introduced crops and new crop varieties, improved livestock strains, new cultural practices, new disease and pest hazards, deterioration of land resources through soil erosion and other factors develop continually and in a relatively short time may modify the type of farming. These conditions may alter the pattern of agricultural production in its entirety or in one or more of the enterprises of the farm business.

RELATION OF PHYSICAL AND ECONOMIC FACTORS TO THE GEOGRAPHIC DISTRIBUTION OF TYPES OF FARMING IN CANADA

The interaction of environment, production resources and economic conditions determines the types of farming. Farming changes in character from one part of the country to another. These changes are usually gradual but in many cases they are sudden and represent a distinct break in the kind of agriculture followed. In general, the variations result from the efforts of farmers to adjust their operations to both physical and economic conditions.

Physical Factors

The influence of physical factors on the types of farming are restrictive in nature. Conditions of temperature and precipitation in the various areas and the various seasons determine, on the one hand, the absolute limits of crop production; on the other hand, the physical factors of temperature and precipitation determine, through relative yields, the proportion in which the various crops are grown. In addition to temperature and precipitation the physical factors of topography and soil have an influence in shaping the pattern of agriculture although the effect has not been uniform by any means. In certain areas temperature is the limiting factor; in others, precipitation; and in others, topography or soil.

Climate.—The types of crops and the classes of livestock found in the various type-of-farming areas are determined climatically by their adaptability to the variable length of growing season, by the intensity of heat and cold during the summer and winter seasons, by the amount and distribution of precipitation and the evaporation of moisture efficiency.

There is a very close association between climate and topography. The climate of British Columbia, on the west coast of Canada, is influenced by the Pacific Ocean and the mountain ranges of the interior and eastern part of the province. Along the extreme west coast and on Vancouver Island the climate is of the marine type, with a comparatively long growing season, moderate temperature and relatively high precipitation. Such a climate is particularly adapted to the production of small fruits and market garden products in areas close to the city markets and to dairying and beef cattle production in the more distant areas. The plateaux of interior British Columbia experience a much drier climate than that of the coast region. In the southern interior valleys, where irrigation is possible and has been introduced, an intensive fruit-growing area has been developed. The more northerly and also scattered areas of this part of British Columbia, where the winters are more severe, are better suited to cattle and sheep ranching.

A climate of wide variability in all seasons of the year occurs in the three Prairie Provinces of Alberta, Saskatchewan and Manitoba as a result of their continental location. Physical features such as the presence of mountain ranges on the west, the distance from large bodies of water, and the three general

steppes or levels of the whole plain result in wide differences in climate. Variations in temperature are extreme between summer and winter and also within each season.

The summer season, and more specifically the growing season (considered from the date of the last killing frost of spring to the first killing frost of fall), is of longest duration (120-140 days) in southeastern Alberta and southwestern Saskatchewan and decreases generally to the east and north, with the shortest period in the northern fringe areas of settlement (about 75 to 100 days). Much local variation, however, is found in the length of the growing season. The greater length of days (hours of sunshine) in southern sections is very noticeable and affects the rapidity of plant growth. The winter season is moderately long and often severe low temperatures are encountered.

As in all continental climates, precipitation is the chief limiting factor. The general range in annual precipitation is from 10 to 20 inches, but in small areas is as much as 30 inches. In the western part of Saskatchewan, southeastern Alberta and in the northern settled areas of these provinces the annual precipitation usually ranges from 10 to 15 inches. In the more arid areas of southeastern Alberta and southwestern Saskatchewan, the annual precipitation is often less than 12 inches. In southeastern Saskatchewan and in most of Manitoba, it ranges from 15 to 20 inches. In a portion of the Red River Valley and in a narrow strip of Alberta bordering on the Rockies precipitation exceeds 20 inches and often reaches 30 inches.

Of special importance, however, with respect to precipitation in the Prairie Provinces, is the fact that about 60 per cent occurs during the growing season. This is the redeeming feature in connection with cereal production and permits a relatively high utilization of precipitation in a semi-arid country.

The great variability in the extent and quantity of summer rainfall and the frequent occurrence of great heat during dry spells constitute the major problems of agriculture in the Prairie Provinces. In view of these facts, however, the relative degree of availability of the precipitation or moisture to crops is of great importance. The combined effect of annual precipitation, annual temperature and seasonal evaporation during the period from May to September generally favours a wider choice of crops in the parkland regions of each province.

The vast area of the province of Ontario results in a wide variation in climate. Topographical and geological features limit the agricultural areas largely to the southern part of the province. However, considerable agricultural development has recently taken place in the more northerly sections, often in relatively small and isolated areas where soil and topography are suitable.

The climate of the more southerly part of Ontario is tempered to a large extent by the proximity of the Great Lakes. Temperatures are generally not so severe in the winter as in the Prairie Provinces while the summers are generally cooler. Rainfall is more adequate and only in exceptional years is it insufficient for the satisfactory production of grain and hay crops. In the most favoured areas, such as the Niagara peninsula, fruit growing is well developed and is practised without any serious loss from extreme climatic conditions. Further inland, temperatures decline slightly as one goes north or to the northeast resulting in a gradual change in the average length of the frost-free season from 216 days at Leamington, in the extreme south of Ontario, to about 168 days at Ottawa and approximately 100 to 120 days in the "clay belt" of northern

Ontario. In the northerly areas the climate is relatively severe, the winters being long and cold with a heavy fall of snow, while the summers afford a relatively short growing season.

In Quebec the agricultural areas are largely confined to the more southerly regions bordering the Ottawa and St. Lawrence rivers. There is substantial agricultural development, however, in certain productive blocks, mainly an easterly extension of the "clay belt" of Ontario around Abitibi and further east, as well as north in the Lake St. John area. In the southerly areas the climate is similar to the adjoining areas of Ontario, although slightly more extreme because of the lesser influence of the Great Lakes. The spring generally opens in April with the first fall frosts coming in September. In the northern settled areas winters are relatively severe, snowfall is heavy and the growing season approximates the limits for arable agriculture.

The climate of the Maritime Provinces is not so mild as might be expected for an area so close to the ocean. The cold Labrador current of the North Atlantic and the cold winds which sweep down from the interior of northern Quebec cause a relatively cold winter and a late spring season. The summers are similar to those in southern Ontario but tempered by marine conditions. Temperatures exceeding 85° seldom occur. The fall is generally more open than in Central and Western Canada. Annual precipitation averages from 40 to 50 inches except along the southern coastline of Nova Scotia, where it is nearly 10 inches greater. The snowfall is heavy in most areas of the Maritimes, especially in northern New Brunswick, where it exceeds 100 inches. The climate of the Atlantic provinces is eminently suited to a wide range of agricultural products.

Topography.—The character of the land surface limits the extent of arable land. In addition to the very close interrelationship of topography and climate, there is also an association of topography with the geological and soil development.

In Canada, several important physical features limit the extent of the arable soils. Mountainous areas in British Columbia and in the settled areas of the Laurentians are often unsuited even for pasture use. Frequently a large percentage of these areas are bare rock. The Pre-Cambrian Shield alone occupies nearly 50 per cent of the total area of Canada; the Cordilleran region occupies about 14 per cent, while other rough lands would bring the total area of such lands to 70 or 75 per cent¹.

Large areas of land of strongly rolling and steep topography as well as depressions occur also within the occupied portions. This is true in nearly all sections of Canada. Associated with objectionable topographical features is the prevalence of stones which may limit the arability of land.

In general, within the occupied areas the smoother phases are utilized for arable farming and the non-tillable lands for pasture and forest purposes. Smooth, level land adds greatly to the facility with which labour and machinery may be used. The increased trend towards mechanization in recent years has added to the advantage which level land enjoys over rough and hilly land for arable farming.

The topography of Canada is dominated by the mountain ranges running north and south near the west coast and the Pre-Cambrian region or Canadian Shield, stretching over a large part of Ontario and Quebec and to a lesser extent

¹ The Agricultural Soil Resources of Canada. A. Leahey, Agricultural Institute Review. Vol. 1, No. 5, May 1946.

on the northern edge of the Prairie Provinces. The area between these two rocky regions is the northern extension of the North American plain. This plain includes southern Ontario, south of a line from Georgian Bay to the east end of Lake Ontario, that part of eastern Ontario lying between the Ottawa and St. Lawrence rivers and part of Quebec lying adjacent to the St. Lawrence between Montreal and Quebec City and extending in a narrow belt down the river and including Anticosti Island. This section is known as the St. Lawrence Lowlands. The part of the plain west of the Canadian Shield is of wide extent, stretching north to the Arctic and west from Lake Winnipeg in Manitoba to the foothills of the Rocky Mountains in Alberta.

British Columbia extends over that area known as the Cordilleran region. The eastern part of this area is occupied by the Rocky Mountains, consisting of a chain of peaks ranging up to 10,000 and 12,000 feet in height extending from the United States boundary northwest to the Liard River in the north. The Coast range skirts the Pacific with another range on Vancouver and Queen Charlotte islands. The Coast range rises to heights of from 7,000 to 9,000 feet. Between the Coast and Rocky Mountain ranges lies a vast plateau system, having an elevation of from 3,000 to 4,000 feet cut by deep river valleys. In general, only the valleys of the rivers rising in these areas are suited to arable agriculture while cattle and sheep ranching are important types.

The interior Plains region, comprising the Prairie Provinces, is a broad plain with a slope eastward and northward of a few feet per mile, descending from an elevation of from 3,000 to 3,500 feet in the Rocky Mountain foothills on the west to less than 1,000 feet on the eastern border.

The eastern part of the St. Lawrence Lowlands area in eastern Ontario and Quebec is comparatively flat and lies less than 500 feet above sea level. That part lying adjacent to lakes Ontario, Erie and Huron is of less even surface and has its greatest elevation of over 1,700 feet south of Georgian Bay sloping rather gently to the Great Lakes. A striking topographical feature is the Niagara escarpment. This is an eastward facing escarpment having a height of 250 to 300 feet and extending from the Niagara peninsula northwest to the Bruce peninsula.

The Appalachian and Acadian regions occupy practically all that part of Canada lying southeast of the St. Lawrence, with the exception of the lowlands west of a line joining Quebec City and Lake Champlain. The Appalachian region is a northern extension of the Appalachian system of mountains. This region is confined to eastern Quebec. The Acadian region, which includes the provinces of New Brunswick, Nova Scotia and Prince Edward Island is an alternation of highlands and lowlands. The northwest part of New Brunswick is an upland with hills and ridges rising 2,500 feet or higher; adjacent to the Bay of Fundy is a series of ridges rising in places to an elevation of 1,200 feet or more. Between these two uplands is a lowland forming the whole eastern coast of New Brunswick and converging towards the southwest. This lowland extends east to include Prince Edward Island and part of Cape Breton Island and the mainland of Nova Scotia north of the Cobequid Mountains. South of these mountains lies a long narrow lowland stretching from Chedabucto Bay to the Minas Basin and along the Cornwallis and Annapolis valleys between the North and South mountains.

Soils.—Soils affect types of farming largely as they influence the physical adaptability of crops. Each feature of the soil has a direct bearing on the choice of crops. The water-holding capacity of various soils in the Prairie Provinces, for example, greatly influences the type of agriculture. Other physical factors, such as texture, structure and friability are very important. The chemical content and the availability of plant nutrients critically affect the suitability or adaptability of certain crops.

Recognition of the productivity of the soil and the manner in which the farmer selects crops to make the best use of the soil conditions determine the type of farming. The management of the soil through cropping practices and crop rotation relates to the kind and permanency of the farm type.

It has been found possible to group the soils of Canada into several zones on the basis of certain common soil characteristics. In a general way these zones coincide closely with the broad climatic and vegetative zones. The zonal characteristics which reflect the effects of climatic and vegetative conditions have an important bearing on the productivity of the soil.

In British Columbia, along the Pacific Coast and on Vancouver Island, the soils are characterized by a low content of organic matter, by a yellowish-brown to reddish-brown surface soil, and by relatively high acidity. The native vegetation consists of heavy stands of timber. On the mainland lowland soils are, for the most part, recent flood plain and delta deposits of the lower Fraser Valley. These are the most productive soils and are well developed agriculturally.

In the Okanagan, Thompson and in some of the other semi-arid interior valleys of British Columbia the soils vary greatly. The soils at the bottom of the slopes are greyish-brown to brown in colour and a definite succession of changes can be observed as one proceeds to the timber line. In the southern and more arid areas the greyish-brown to brown which are similar to good prairie soils extend further up the slopes, while in the more humid areas of the northern interior valleys these may be found either only in the valleys or in a narrow fringe on the slopes. Further up the slope black soils may be encountered and still further, Grey Wooded soils similar to those of the Prairie Provinces are found.

The soils of the Prairie Provinces have been modified by two main types of origin, those developed under grassland cover and those developed under wooded conditions. Most of the agriculturally developed soils lie within the grassland region which extends northward from the United States border to a line drawn diagonally from the southeast corner of Manitoba to the point where the fifty-fifth parallel cuts the Alberta-British Columbia boundary. Soils of the settled areas north of this line were developed under relatively humid conditions and tree growth. The boundaries between the different soil zones are usually not very sharp and the soils of one zone gradually merge into those of the next. The soils of the grassland region may be subdivided into four main zones, the Brown Prairie soil zone, the Dark Brown soil zone, the Black soil zone and the Degraded Black soil zone.

The major areas of the open plains of Saskatchewan and Alberta with the exception of the Cypress Hills area are within the Brown Prairie soil zone. This is the drier section of the Prairie Provinces and is characterized by a native vegetation of short grasses. The carbonate accumulation in these soils is relatively high in the dominant soil profile and occurs at a depth of 6 to 12 inches. The typical surface soil is light to drab brown and is generally shallower and

lower in organic matter and nitrogen than other grassland soils. Agriculture is practised on an extensive scale, the land being utilized for grain production, mainly wheat, on the better phases and for cattle and sheep ranching on the poorer non-drought-resistant and rougher phases.

Moisture conditions are somewhat better in the Dark Brown soils. The organic content is also higher and the lime layer is found at depths of 10 to 18 inches. These soils occupy a belt of land to the east, north and west of the Brown soil zone. This area is largely treeless although poplar "bluffs" are of frequent occurrence as this zone emerges into the Black soils. Farm type is largely based on the wheat enterprise as in the case of the Brown Prairie soil zone with minor enterprises in different areas.

The soils of the Black soil zone are richer in organic matter than any other soils of the Prairie Provinces. The depth of the surface layer may vary from 4 inches to 2 feet and the lime layer from a depth of 15 to 36 inches. The native vegetation consists of a mixture of tall grasses and occasional or even numerous aspen groves. Due to the more favourable characteristics with respect to moisture these "parkland" soils are adaptable to a diversified type of agriculture. The Black soils occur in a belt on the outer rim of the Dark Brown soils.

Within the Black soil zone poorly drained depressions or sloughs fringed with aspen or willow often occur. The fertility of these soils is lower than the typical Black soils.

Soils of the Degraded Black zone represent a transitional phase between the Black soils and the forest soils of the Grey Wooded soil zone. Due to the invasion of forests into these grassland soils, the continual process of 'degradation' or leaching has resulted in a more or less pronounced greyish layer or horizon in the lower part of the surface soil. This leaching has resulted in generally less fertile soils than are found in the Black soil zone.

The main soils of the forested region of the provinces of Manitoba, Saskatchewan and Alberta are the Grey Wooded soils. These soils are also found in the wooded sections of central British Columbia and the clay belt of northern Ontario. The typical soils have a grey, leached, ash-like layer or horizon near the surface, immediately below a thin, dark leaf mould. The lime layer is usually encountered at two to four feet. In this section, as has been mentioned, the growing season is shorter than on the Prairies, entirely different problems are encountered and farming is usually of a more general or non-commercial type.

High lime (Rendzina) soils occur in the lake regions of Manitoba and in a section of northeastern Saskatchewan. The excessive amounts of lime and the lack of phosphorus in these soils modify their properties and productiveness. Often the black or greyish surface soil may only be a few inches deep with the entire depth of the soil one foot or less. The underlying material is light grey in colour, containing many limestone fragments and frequent stones.

The Grey-Brown Podzolic soil zone occurs in southern and southeastern Ontario and also southern Quebec. These soils were formed mostly by glacial drift and by lake sediments in the southeastern section of Ontario. These soils were developed under deciduous forest conditions and usually have a thin dark surface soil over a greyish-brown leached layer which rests upon a darker brown layer or horizon. The soils of southwestern Ontario are more deeply weathered and are considered to be more mature than those of eastern Ontario and the Eastern Townships of Quebec. Here also the reaction of the soil varies from alkaline to moderately acid as compared to slightly alkaline to moderately acid

for clay soils and moderately to strongly acid for the sandy soils. The soils of this zone make up the bulk of the important agricultural soils of the central provinces.

There are also several relatively large tracts of sandy soils which have been formed as deltas and outwash deposits near the mouths of large streams which existed during the recession of the last great ice sheet. These are in the counties of Norfolk, east Elgin, south Oxford and west Brant and are now used extensively for tobacco production.

The Podzol soils occur in eastern Quebec and in the Maritime Provinces. These are strongly leached and acid. The depth of the light grey ash-like surface soil, which underlies the undisturbed leaf mat, varies considerably often up to 12 inches. The sub-surface layer has a brown to reddish brown or red appearance. The fertility of the soil declines with the depth and extent of the ash-like surface layer. There is much local variation between the soils of this zone due to the mixed nature of the mineral materials from which they are formed and to topographical and drainage conditions. The soil in some areas is entirely unsuited to farming, while in others it is extremely fertile.

Most of the Pre-Cambrian Shield, which occupies extensive areas in northern Ontario and Quebec, consists of rough lands containing large areas of rock outcroppings and of peat. The agricultural land on the Shield is mainly confined to small areas in river valleys, to some of the smoother ridges along the southern edge of the Shield and to some more or less isolated larger smooth areas. These isolated areas are old lake beds. The important isolated areas are the New Liskeard, the Cochrane-Hearst (northern clay belt) and the Rainy River areas in Ontario and the Lake St. John and Abitibi districts in Quebec.

There is extreme variability in the soils of the Pre-Cambrian Shield. The agricultural land ranges from extreme Podzolic to Grey Wooded soils similar to those in the northern section of the Prairie Provinces. In general, climatic factors limit the adaptability of cereal crops in the isolated areas.

Economic Factors

In addition to physical factors—soil, climate and topography—economic factors play a very important part in determining the pattern of farming in any particular area. The guiding motive in adjusting crop and livestock systems to the physical environment is largely one of profits or net returns. Economic factors, working through changes in the prices of products and changes in cost factors, exert an influence on types of farming as they affect the returns from particular enterprises or combinations of enterprises in relation to the resources used. Such factors include the availability of markets, prices, transportation, and labour.

Availability of markets is of particular importance in connection with perishable products, where transportation costs are high and deterioration likely to take place. The development of the truck as a means of rapid transportation has greatly widened the area of production for city markets of such products as fluid milk and fresh vegetables. However, a large proportion of truck garden produce is still produced within a close range of the larger cities. The location of urban centres therefore has an important bearing on the type of farming practised in their immediate vicinity.

The development of other primary industries such as mining or forestry and the establishment of secondary industries in the vicinity, with their accom-

panying increases in population, create important markets for farm produce, both for direct consumption and for processing. Changes in tariffs may also affect the type of farming of an area by increasing or reducing the export market outlets for particular products.

Other things being equal, there is a general tendency for a more intensive type of farming to develop in the areas relatively close to the ultimate markets, and the more extensive types of farming, such as grain growing and ranching, to be pushed out into the more distant regions. This is not entirely a result of marketing facilities but is also influenced by the relative values of the land. While the value of land will be influenced by the type of farming carried on in any area, at the same time the basic factors of productivity and location will be the major factors in determining agricultural land values. Therefore, if land values are relatively high because of productivity and location, it will be necessary to utilize these lands in such a way that the returns per dollar of value will also be relatively high. The fact that high land values result from high productivity makes it necessary, for example, in the irrigated areas of Alberta, for individual producers to specialize in crops which yield a high return per acre.

The availability of processing plants may also influence the type of farming in an area. Such plants as cheese factories, creameries, concentrated milk plants or canning factories located in an area will encourage production for these plants in the immediate vicinity. Of course, it is probable that these plants will be found chiefly in areas particularly adapted for the raising of the product to be processed. Another factor of a somewhat similar nature is the presence or absence of co-operative organizations in a particular area. Such organizations often foster the production of certain commodities and may render the production and marketing of these commodities more economical than other enterprises.

The question of transportation as a factor in determining types of farming has been discussed along with the availability of markets, with emphasis being placed on the necessity of rapid transportation in connection with perishable products. The cost of transportation is also a factor which may influence areas of production. Certain bulky products cannot be shipped economically over long distances because the cost of transportation is too high in relation to their value. This factor is of particular importance in determining in a general way the economic soundness of producing in widely divided areas such as Eastern or Western Canada certain commodities in excess of local requirements. For example, hay for Ontario urban markets will likely be produced in Ontario rather than in the Maritime Provinces.

The type of land tenure in any area may have some influence on the type of farming carried on. This is not a particularly important factor in Canada where the percentage of tenant-operated farms is relatively small as compared with those operated by owners. Where the tenant is not restricted by the lease in the type of farming he must carry on, it is possible that tenant farmers would tend towards a type of farming with a high cash return and would not have the long-time outlook of the owner-operator.

On individual farms, the type of farming may be limited to some extent by the amount of capital available to carry on farm operations. Some types of agriculture require a relatively high investment and these types are limited to those who can finance them. Individuals, too, may organize their farm business according to their particular likes and dislikes, regardless of the most adaptable type of farming for the area.

The cost and availability of labour is a further factor which influences the pattern. Labour is drawn away from the farms by higher wages, and probably more congenial conditions of employment, offered by other industries, causing the farmer to turn to mechanization with its greater demand on capital investment. On the other hand, a nearby urban centre may provide seasonal and casual labour which is required in large quantity for the growing and harvesting of such crops as fruits and vegetables.

Changes in the relative prices of the different agricultural commodities may have an effect on the type of farming in any area, particularly in short-time programs on farms. This is shown in the cyclical fluctuations which take place in the production of certain commodities, chiefly livestock, in response to price changes. Any extended period of relatively high prices, such as the high price of wheat in wartime, will result in an expansion of acreage in those areas of marginal production. Similarly, low prices over a period of years will result in a contraction of acreage and consequent change in land use and type of farming.

Aside from the economic factors affecting agriculture there is also the influence of technological and biological changes. From the technological standpoint the introduction of a highly mechanized agriculture, especially in Western Canada, has had the effect of lowering costs of production of grain crops and has made possible a more extensive type of farming with a given labour supply. Biological changes, such as the introduction of new varieties of grains which require a shorter growing season or are resistant to certain diseases, have made it possible to change the type of farming in some areas. This factor has been of particular importance in driving back the fringe of settlement in the more northerly districts of the Prairie Provinces.

PRODUCTION OF PRINCIPAL AGRICULTURAL PRODUCTS

The Use of Land Resources in Canada


While nearly all lines of economic activity are dependent upon land resources, none is so dependent on this factor as agriculture. This can be fully appreciated when it is realized that land in a technical sense includes the soil, its surface and topographical features, the subsoil and deposits underneath, as well as the climate. Land and its attributes furnish the facilities for the growth of plants which in turn become food for humans or livestock.

The land area of Canada, exclusive of the Yukon and the Northwest Territories, is 1,282,124,160 acres or approximately 2,003,319 square miles.¹ Including the Yukon and the Northwest Territories, Canada is nearly equal to the area of the United States or the whole of Europe. About 229.9 million acres or 17.9 per cent of Canada's land area is located in British Columbia; about 452.2 millions or 35.3 per cent in the Prairie Provinces; approximately 567.8 millions or 44.3 per cent in Ontario and Quebec; and slightly more than 32.2 million acres or 2.5 per cent in the Maritime Provinces.

The settled areas of Canada lie close to the International Boundary. One-half of the population lives within 100 miles of the United States boundary and

¹ Canada Year Book 1943-44, page 11.

FIGURE 1



about 90 per cent within 200 miles. This strip of settled area is not continuous as it is broken up into various segments by wide rocky stretches, making each distinctive in its agricultural potentialities.

In 1941, 173,563,282 acres of land were classed as occupied farm lands. This was 13.5 per cent of the land area of the nine provinces. Expressed as a percentage of Canada's occupied farm land, 2.3 per cent was in British Columbia; 69.2 per cent in the Prairie Provinces; 23.3 per cent in Ontario and Quebec; and 5.2 per cent in the Maritime Provinces (Figure 1).

After a period of relatively slow growth before the turn of the century, improved land acreage expanded rapidly until 1920. In 1921 it was 70.8 million acres, which was more than double the 1901 figure. During the 1921-1931 period the rate of expansion was arrested as prairie settlement had almost reached its limits. Since that time settlement in the northern area of the Prairie Provinces has added to the total but since it consisted partly of a migration from vacated areas in the southern section, the rate of expansion was low. In 1941, the improved acreage stood at 91.6 million acres. In the regions of Canada other than the Prairie Provinces, improved acreage expansion reached its limits in 1921 and from then on to the present has remained comparatively constant.

About three-fifths of the improved land is devoted to field crops, one-quarter to summerfallow, one-tenth to improved pasture and the balance to orchards and vineyards, small fruits, market gardens and farmsteads.

The variation in intensity of land use in different parts of Canada, as measured by the number of productive man-work units¹ of labour per acre occupied, is shown in Figure 2. This variation in intensity of farming is a reflection of differences in types of farming.

Field Crops


The area devoted to field crops in Canada in 1941 was approximately 55.8 million acres. One per cent was found in British Columbia; 69 per cent in the Prairie Provinces; 16 per cent in Ontario; 11 per cent in Quebec; and 3 per cent in the Maritime Provinces. About 57 per cent was in the provinces of Saskatchewan and Alberta.

Wheat.—Wheat occupies the dominant place in the agricultural economy of Canada. No other product can compare with wheat in its influence upon the life of the Dominion and nothing has attracted so much attention from the outside world. Nearly two-fifths of the field crops area of Canada in 1941 was devoted to wheat production.

The role of wheat as the main cereal crop in Canada and the most important agricultural item entering into world trade is a story which is interwoven with the development of the West. The expansion of wheat acreage has been directly associated with the improvement of land in the Prairie Provinces. In 1881, only 2.4 million acres were planted to wheat. Acreage increased at a relatively slow rate until 1914 when 10.3 million acres were planted. During the period of the first world war, however, the greatest expansion took place. In 1919, the wheat acreage was 19.1 million, nearly double the acreage in 1914. Since that date, some expansion has taken place. Generally the area has ranged

¹ For explanation of 'productive man-work units', see footnote page 56.

FIGURE 2



from 22 to 25 million acres although there have been years (1940—28·7 million,¹ for example) when this was exceeded. In 1941, the wheat acreage was 21,949,523 acres.

The distribution of wheat acreage throughout Canada is confined largely to the Prairie Provinces (Figure 3). In 1941, 96·7 per cent was located there with 55·6 per cent in Saskatchewan and 29·9 per cent in Alberta. Outside of these areas wheat is of greatest relative importance in Ontario and British Columbia.

Due to the adaptability of wheat to the soil and climatic conditions in Western Canada, it occupies the greatest percentage of the field crops area there. Taking 1941 as an example, wheat acreage was two-fifths of the field crops area in Manitoba, more than one-half in Alberta and about three-fifths in Saskatchewan.

Most of the wheat produced in Canada is of the hard red spring wheat type. During the early stages of Canada's development, when wheat was grown principally in Ontario, both spring and fall types were produced. Since the development of the West, however, fall wheat acreage has decreased and in 1941 was 611,450 acres. This crop is produced mainly in Ontario, although a moderate amount is grown in southern Alberta. Some wheat of the durum type is grown in Canada, principally in Manitoba and southeastern Saskatchewan; the area amounted to only 236,652 acres in 1941.

Oats.—The second most important cereal in Canada is oats. In 1941, approximately 12·3 million acres were devoted to its production. This was 22·0 per cent of the field crop area as compared with 39·3 per cent for wheat. Due to the popular use of oats as a feed grain, the acreage has always been relatively high. In 1910, 8·6 million acres were planted to oats. A relatively large expansion took place between 1910 and 1920 during which period there was an increase of 5·3 million acres. Until 1925 acreage was at the 14 to 16 million acres level¹, but since that time a relatively constant acreage of approximately 13 million has been maintained.

As a percentage of total field crops, oats is of highest relative importance in Quebec, Ontario and Prince Edward Island. The regional pattern of oats acreage indicates 0·8 per cent in British Columbia; 66·8 per cent in the Prairie Provinces; 16·3 per cent in Ontario; 12·9 per cent in Quebec; and 3·2 per cent in the Maritime Provinces (Figure 4).


As in the case of wheat, the principal oat growing areas in Canada have gradually shifted to the Western Provinces since the turn of the century.

Barley.—Because barley is an important feedstuff in the hog ration, its acreage has increased in certain and quite well defined areas of Canada. Barley in 1941 at 5,311,508 acres was 9·5 per cent of the total area in field crops and much below the acreage of oats. In addition to its use as a feedstuff for hogs, the demand for barley for malting purposes is of some importance.

In 1890 about 881,000 acres were grown with the major percentage in Ontario and important proportions in Quebec and Manitoba. At that time barley was not an important crop in the Maritimes and even at the present time it has not assumed a prominent place.

¹ Acreage, Production and Value of Grain Crops in Canada 1908-1946, Agricultural Division, Dominion Bureau of Statistics, June 1947.

FIGURE 3



WHEAT - ACREAGE 1941
 (DOT = 5,000 ACRES)

FIGURE 4





FIGURE 5



Gradual and quite consistent increases in acreage as well as in the relative importance of this crop have been attained in Canada. In 1920, approximately 2.0 million acres of barley were grown with about 74 per cent of this area in the Prairie Provinces and nearly two-fifths in Manitoba. By 1930 the acreage had increased to 4.9 million, with 87 per cent in the Prairie Provinces. This was the period of great expansion for the barley crop.

The shift of the barley acreage to the Prairie Provinces has continued and, in 1941, 90.0 per cent was grown there as compared with 0.3 per cent in British Columbia; 6.7 per cent in Ontario; 2.2 per cent in Quebec and 0.8 per cent in the Maritime Provinces.

The principal areas of concentration, as indicated in the accompanying dot map (Figure 5), are in each of the Prairie Provinces. In Alberta the main area extends from Calgary to Edmonton; in Saskatchewan barley concentration is in the Humbolt to Melfort to Nipawin area; while in Manitoba the principal areas are in the Carman, Portage la Prairie and Winnipeg districts.

Hay.—Cultivated hay acreage is 18.6 per cent of the area of field crops and is only slightly less than that of oats. In 1941 approximately 10.4 million acres of hay crops were grown.

The inclusion of hay crops in the crop rotation indicates a stage of development associated with a permanent type of agriculture. It also indicates an association with major enterprises in order to supplement or complement the farm returns, as hay is usually associated with livestock production. In maintaining and preserving agricultural resources, cultivated hay crops are of considerable value. As a means of preventing undue soil depletion and erosion hay crops are being used more regularly where climatic conditions permit.


The relative importance of cultivated hay as related to the field crop area in 1941 was 76 per cent in Nova Scotia; 66 and 62 per cent in New Brunswick and Quebec; 49, 48 and 41 per cent in Prince Edward Island, British Columbia and Ontario; and only 6, 5 and 2 per cent in Manitoba, Alberta and Saskatchewan respectively (Figure 6).

In terms of total acreage for the Dominion a gradual increase has taken place. In 1890, 6.2 million acres of cultivated hay were reported. This increased to 8.8 million in 1911. The distribution of the crop has changed somewhat since the early days of settlement when the largest acreage was found in Ontario and Quebec. In 1941, however, over 72 per cent was still found in these provinces as compared with 2.5 per cent in British Columbia, 13.9 per cent in the Prairie Provinces and 11.5 per cent in the Maritime Provinces.

In Ontario and other sections of Eastern Canada, timothy and clover are still the most popular cultivated hay crops although alfalfa has increased in importance. In the Prairie Provinces, crested wheat grass, slender wheat grass, brome and sweet clover had the largest acreage in 1941, and grain cereal hay was an important source of feed. Alfalfa is an important hay crop in the irrigated areas of Alberta and the northeastern section of Saskatchewan.

Flax.—Flaxseed has been grown almost exclusively in the Prairie Provinces and largely in Saskatchewan. The acreage in flax has shown wide fluctuations. The largest increase coincided with the opening of the West. Acreage jumped from 23,086 in 1900 to 1,351,105 in 1911. In 1921 and 1931 the acreage was 463,599 and 648,100 acres respectively. In 1941 the acreage was relatively high

FIGURE 6



HAY - ACREAGE 1941
(1 DOT = 4,000 ACRES)

at 1,008,377 acres. Due to the great demand for linseed during the second world war, the acreage in flax increased greatly. In 1943 the total acreage in flax was 2,948,000 acres. The average for the 1944-46 period was 1,074,000 acres as compared with 454,500 from 1927-30 and 321,650 acres in 1936-40, an immediate pre-war period.¹

Flax is also used for fibre purposes. Pre-war average acreage ranged from 5,000 to 8,000 acres for all of Canada, while during the 1940-46 period fibre flax ranged from 20,000 to 47,000 acres.² The major fibre flax producing areas are in the St. Lawrence lowlands of Quebec and Ontario. Specifically these are in the counties of Glengarry, Prescott, Russell and Carleton in Ontario and the counties of Soulanges and Vaudreuil of Quebec. In Western Canada small acreages are found in Manitoba in the vicinity of Winnipeg and Portage la Prairie.

Rye.—The acreage of rye in 1941 was 928,711 acres which indicated a comparatively high point in the trend of rye production. In 1911 there were 132,928 acres of rye in Canada, the bulk of which was in Ontario. By 1921, there were 774,561 acres with about 85 per cent located in Alberta, Saskatchewan and Manitoba. At the time of the census in 1941, more than 90 per cent was in the Prairie Provinces. The only other province where rye is grown to any significant extent is Ontario (Figure 7).

The bulk of rye grown is planted in the fall although sizeable amounts of spring rye are also grown.

The important areas of rye production are situated generally on light sand and sandy loam soils. Not only is rye suited to these soils and permits greater distribution of labour as it may be seeded in the fall, but it is of considerable value in preventing wind erosion and soil depletion. In Saskatchewan, rye production is becoming more general in parkland areas in addition to the drier areas of the southwestern part of the province.

Mixed Grains.—The practice of growing two or more grains together for livestock feed is followed by many farmers, especially in Ontario. Oats and barley form the most popular mixture, although peas are also frequently grown with oats. The acreage reported for mixed grains has not changed significantly since 1931 and in 1941 was 1,436,207 acres.³ Approximately 80 per cent is located in Ontario and 12 per cent in Quebec. Since 1931, increases have been reported for Prince Edward Island, Quebec and Alberta. Only minor changes are reported for the other provinces.


Corn.—Corn is a crop which requires a long growing season and consequently is not extensively grown for grain production in Canada except in relatively small areas in southwestern Ontario and southern Manitoba. The acreage of corn grown for fodder in Canada in 1941 was 409,081 acres, about 72 per cent of which was grown in Ontario, 15 per cent in Quebec and 9 per cent in Manitoba. Corn for husking amounted to 341,488 acres in 1941 with 250,984 acres being grown in Ontario and an additional 76,906 acres in Manitoba. These are both appreciable increases as compared with 1931. In Ontario, corn for husking is grown mainly in the counties of Essex and Kent while in Manitoba areas of greatest concentration are around Carman, Morden and Emerson.

¹ Acreage, Production and Value of Grain Crops in Canada, 1908-1946, Agricultural Division, Dominion Bureau of Statistics, June 1947.

² Quarterly Bulletins of Agricultural Statistics, Dominion Bureau of Statistics.

³ Mixed or other grain.

FIGURE 7



Buckwheat.—Buckwheat has decreased in acreage and in relative importance in all parts of the Dominion, especially in Ontario where the acreage dropped from 187,619 in 1931 to 115,947 in 1941. Two periods, 1910-1911 and 1930, stand out as the peaks in buckwheat production in Canada. However, the 208,759 acres of this crop grown in 1941 were fewer than at any time since 1890.

Sugar Beets and Mangolds.—In 1941, 31,103 acres were devoted to sugar beets for sugar, while 69,081 acres of sugar beets and mangolds were grown for feed purposes.

A gradual increase in sugar beet acreage has taken place during recent years. Approximately 42 per cent of the sugar beets used for sugar in 1941 was produced in Ontario, 34 per cent in Alberta, and 24 per cent in Manitoba. Production was concentrated largely in the counties of Kent, Lambton, Essex, Middlesex, Huron and Elgin, in Ontario; in the irrigated areas around Raymond, Lethbridge and Taber in Alberta; and in an area southwest from Winnipeg in Manitoba. Of the total acreage of mangolds and sugar beets used for feed 69 per cent was in Ontario; 13 per cent in the Maritimes; and 10 per cent in Quebec.

Tobacco.—The acreage of tobacco in Canada has increased continually and in 1941 reached a total of 71,872 acres. This amount was 48 per cent more than that reported in 1930 and 23 per cent more than the 1931 acreage. The major increase took place in Ontario. Tobacco is grown mainly in southern Ontario and is largely of the flue cured and burley types, with smaller acreages of cigar and dark tobaccos. The counties of Norfolk, Essex, Elgin, Oxford and Kent are the main centres of production. In Quebec, cigar, pipe and flue cured tobaccos are also grown, flue cured burley and cigar types being most important. Counties in Quebec where tobacco is of some importance are Joliette, Montcalm, L'Assomption, Berthier and Rouville.


Beans.—The only areas of Canada where field beans are an important cash crop are the counties of Kent, Huron, Elgin and Middlesex in Ontario. The acreage of this crop increased from 90,045 acres in 1930 to 108,152 acres in 1941 and mainly in the above mentioned counties. This acreage includes 12,903 acres of soybeans.

Peas.—The main field pea producing areas are also in Ontario and these accounted for 59 per cent of the acreage reported in Canada in 1941. Total area in field peas in Canada in 1941 was 71,181 acres which was only slightly less than that in 1931. This acreage is only a very small proportion of the 670,320 acres reported in 1900. The main pea producing counties in Ontario are Renfrew, Simcoe, Grey, Bruce and Durham, which are widely separated.

In Alberta, peas are an important crop in the irrigated areas. In 1941, 5,893 acres were planted. In Saskatchewan the acreage has increased in some districts of the northeastern section since 1941.

Turnips.—About 43 per cent of the turnip acreage is found in Ontario. The counties of Wellington, Waterloo and Oxford, Ontario, York, Simcoe, Huron and Bruce recorded the largest areas in 1941. An additional 28 per cent was grown in Quebec and 26 per cent in the Maritime Provinces. Turnips and swedes are important as livestock feed but some types are used for human

FIGURE 8



MARKET GARDEN CROPS—ACREAGE 1941
(1 DOT = 100 ACRES)

consumption and are an important source of income. The acreage of turnips and other field roots in Canada has declined consistently since 1890. In 1941, the total area in turnips and swedes in Canada was 96,412 acres.

Vegetables.—There are very few farms in Canada which do not have a vegetable garden of sufficient size to provide for summer and at least part of the winter needs. However, there are certain sections of the Dominion, principally adjoining the larger urban centres, where the commercial production of vegetables is important (Figure 8).

Over half of the 118,844 acres used for the production of these crops in 1940 were in Ontario while approximately one-quarter were in Quebec. In addition to these central provinces, other important areas were in British Columbia, Alberta and Manitoba.

In Ontario and Quebec, mainly in the counties of Essex, Prince Edward, Kent and Norfolk, and in the counties adjacent to the city of Montreal, tomatoes, sweet corn and green peas are the most important crops. In British Columbia, tomatoes, green peas, onions, sweet corn and carrots are the principal crops and are grown mainly in the Okanagan and Lower Fraser valleys. There is about an equal acreage in vegetables in Alberta and Manitoba. In Alberta, sweet corn and green peas are the main crops and are grown largely in the irrigated sections. In Manitoba, vegetable crops are more diversified, the main ones being onions, cabbage, sweet corn and green peas. These are grown mainly around Winnipeg.

Potatoes.—Potatoes are in a similar position to vegetables and are grown on practically all farms. Commercial production is found in areas which are especially suited on account of location, soil and climate features (Figure 9).

In 1940, 503,875 acres of potatoes were grown in Canada, about 56 per cent of which was in Ontario and Quebec. This acreage is less than in 1930 but substantially the same as has prevailed for a number of years. Potatoes are the most important cash crop in the province of Prince Edward Island. The upper Saint John Valley of New Brunswick is also well adapted to potatoes and is developed as a commercial producing area. In Quebec, potatoes are widely grown throughout the province, especially around Montreal and in the Gaspé peninsula. In Ontario, large areas are concentrated in the counties north and west of Toronto. In Western Canada relatively important potato areas are found in the Kildonan and north Winnipeg sections of Manitoba and the Delta area of the Lower Fraser Valley in British Columbia.

Fruits.—Canada produces, in commercial quantities, apples, apricots, pears, peaches, plums, cherries, grapes, strawberries, raspberries, blackberries, currants, gooseberries, cranberries, loganberries and blueberries. Climatic conditions limit the production of fruits largely to the areas of long growing seasons and in the case of the more tender fruits to areas such as the Niagara peninsula in Ontario and the Okanagan and Lower Fraser Valley in British Columbia.

The area devoted to orchards and vineyards in 1941 was 195,454 acres. Approximately half of this area was in Ontario, about one-fifth in Nova Scotia, one-fifth in British Columbia, and one-tenth in Quebec (Figure 10).

The temperate climate demanded for production of tree fruits greatly limits the areas of commercial production. The main areas are the Annapolis Valley

of Nova Scotia, the Gagetown district of New Brunswick, and Rouville area of Quebec, the Niagara peninsula and north shores of Lakes Ontario and Erie in Ontario, and the Okanagan and other interior valley areas of British Columbia.

Prior to 1916 the apple industry was largely centered in Ontario and Nova Scotia and to some extent in New Brunswick and Quebec. In 1940, British Columbia had outstripped all other provinces in actual production; Nova Scotia was second, Ontario was third, while Quebec and New Brunswick followed in that order.

The peach crop occupied 20,410 acres in 1941 compared with the apple acreage of 131,998. Peaches were grown to a considerable extent in Niagara peninsula of southern Ontario and also in British Columbia.

Pears occupied 9,444 acres, of which 6,108 were in Ontario, 2,852 in British Columbia and only 451 in Nova Scotia. Plums are grown in each province but are largely concentrated in Ontario and British Columbia, as are cherries.

Commercial production of fruits other than tree fruits occurs largely in Ontario, followed by British Columbia. Some small fruits are produced for home use in almost all parts of Canada.

Livestock

The production of livestock and livestock products occupied a position of importance in 1941 nearly equal to that of field crops. Livestock and livestock products constituted about 45 per cent of the total gross value of agricultural production in Canada as compared with 47 per cent for field crops. Farm animals grossed 335.9 million dollars or 24 per cent, while livestock products, including wool, milk production, poultry and eggs, made up 286.2 millions dollars or 21 per cent¹.

Livestock and livestock products have formed an increasingly important part of agricultural production in relation to grains. In 1926, livestock made up 29 per cent of the gross value of agricultural production as compared with 40 per cent in 1931 and 36 per cent in 1936. On the other hand, the gross value of field crops decreased from 67 per cent in 1926, to 52 per cent in 1931 and 57 per cent in 1936².


Livestock production has been maintained largely for the home market and with increases in Canada's population the demand for livestock products has increased. With the advent of refrigeration and dehydration, it has been possible to share in overseas markets. In addition to this factor, greater industrialization and urbanization and rising income levels increased the relative demand for livestock products as compared with grains.

While considerable income flexibility still exists with respect to livestock production, the above developments have not only strengthened the domestic market but have made possible an expansion in export trade. The possibilities of increasing livestock production and supplying overseas countries was well exemplified during the second Great War with respect to bacon, cheese, butter and eggs. Modern advances in processing, packaging, refrigeration and dehydration have been extremely important marketing developments.

¹ Quarterly Bulletin of Agricultural Statistics. Dominion Bureau of Statistics. January-March 1942.

² *Ibid.*

FIGURE 10



Cattle.—The total number of cattle reported on farms in the 1941 census was 8,517,300 head. About 42 per cent were classed as milk cows. Cattle numbers in 1941 were about 7 per cent higher than in 1931, only slightly more than in 1921 and about 30 per cent more than in 1911.

Livestock inventories are characterized by cyclical fluctuations. Milk cow numbers reached a peak in 1926 and again in the middle thirties. Other cattle, mainly beef animals, reached a peak in numbers immediately after the first World War and again in 1933.

The distribution of cattle in Canada is the widest of any class of livestock. Approximately four-fifths of all occupied farms reported cattle in 1941. This distribution is closely linked with the purpose or use of cattle. The association with the home market and the utilization of beef and dairy products in the average Canadian farm household affect the general distribution.

In 1941, about 4 per cent of the cattle were found in British Columbia; 39 per cent in the Prairie Provinces; 31 per cent in Ontario; 20 per cent in Quebec; and 6 per cent in the Maritime Provinces. The regional distribution of Canada's total cattle population indicates a decline in the Maritime Provinces and increases in the Prairie Provinces and British Columbia over a period of years.

It is difficult to determine from available figures the utilization of cattle for beef or for milk purposes. There is considerable overlapping of the two types. This is evident in prairie and parkland sections of Western Canada, where cattle are kept for a dual purpose. In such cases, often only a moderate-sized herd of cattle is kept. During periods of good pasture conditions, surplus milk is produced and a common practice is to ship one or two cans of cream per week to the creamery. A few head of cattle are available for sale on the average western farm under these conditions.

In Eastern Canada this condition exists to a more limited extent. Due to the greater urban population there is a tendency for farms to specialize in dairying, fluid milk being produced near centres of population. Farms which are farther away from such urban centres produce milk for processing and may use dairy or dual-purpose breeds.

The dot map for cows milked in 1941 shows a high concentration in southern Ontario and in the southern parts of Quebec (Figure 11). In Ontario, areas of greatest concentration were the counties of Oxford, Middlesex and the eastern counties. In Quebec, cows milked in 1941 were concentrated in the area from the Ottawa River to Montreal, around Howick, Huntingdon and Ormstown and in the Eastern Townships around Sherbrooke. In the Prairie Provinces a much lower degree of concentration can be noted in the parkland areas. The Lower Fraser Valley is the main dairy area of British Columbia.

The accompanying dot map for cattle kept for beef indicates the generally wide distribution in Canada (Figure 12). Areas of greatest concentration are the southwestern section of Ontario adjoining Lake Huron and Georgian Bay, the eastern part of Ontario, southern Manitoba, the parkland section of Alberta, the Foothills ranching area of the same province and the inter-mountain valleys or ranching sections of British Columbia.

Swine.—There has been a decided increase in the swine population in Canada. The 1941 census reported 6.1 million head as compared with 4.7 million in 1931, 3.3 million in 1921 and 1.7 million in 1891. About two-thirds

FIGURE 11





FIGURE 12



of the occupied farms in Canada reported having swine in 1941. Exceptions were in British Columbia, where only about one-third reported swine, and in Nova Scotia, where approximately one-half had swine.

Swine inventories, in common with other classes of livestock, move in cyclical fluctuations. The swine cycle has a duration of about four to five years. The length of cycle is associated with the length of time required to increase or decrease production. Relatively high peaks of production occurred in 1927, 1931 and 1936. Wartime feed grain policies and the British bacon agreements have modified the normal cyclical trend.

During the early years of development of the swine industry in Canada, the lard type of hog was dominant. In recent years the bacon type has almost supplanted the fat hog.

Hogs represent an entirely different type of meat production as compared with beef cattle. The raising of hogs offers an alternative method of marketing feed grains. The extent of hog production depends upon the comparative profitableness of marketing barley or oats or of feeding it to hogs. Because of the relatively short period required to produce hogs for market, temporary economic conditions have a greater effect in influencing hog production than on beef cattle production. In hog production, prospects at the time of making plans for farrowing of sows are extremely important. Aside from the consideration with respect to comparative prices of feed grain and pork, the availability and cost of labour has an important effect.

The regional distribution of swine in 1941 also indicates a shift in production to the Prairie Provinces. In that year about 1 per cent was found in British Columbia; 52 per cent in the Prairie Provinces; 31 per cent in Ontario; 13 per cent in Quebec; and 3 per cent in the Maritime Provinces. Twenty years prior, in 1921, 1 per cent was also found in British Columbia; 31 per cent in the Prairie Provinces; 42 per cent in Ontario; 21 per cent in Quebec; and 5 per cent in the Maritimes.

The geographical distribution of the swine population in 1941 is shown in Figure 13. In nearly all parts of Ontario and Quebec, hog raising is an important part of the farm business. In the Prairie Provinces, while hogs are found to a limited extent on nearly all farms, herds of commercial significance are usually found in areas where coarse grains (barley and oats) occupy a larger percentage of the cropland than wheat. On account of this association, hogs are concentrated in the parkland areas of these provinces.

Sheep.—The sheep population has been relatively irregular and in 1941, 2,839,948 were reported on Canadian farms. The 1941 figure represented a low point in sheep production. During the last twenty years sheep inventories were lower only in the 1923-26 period. In addition to the factor of the price of mutton in influencing sheep numbers, the price of wool has some effect.

Of the three important classes of productive livestock, sheep were reported on the fewest farms in 1941. For Canada as a whole about 16 per cent of the occupied farms reported sheep. The proportion of the farms reporting sheep was about one-third in Quebec, one-quarter in the Maritimes and one-seventh in Ontario, while in the Prairie Provinces sheep were raised on only one farm in twelve.

A decided shift in the distribution of the sheep population of Canada is apparent by an examination of census information. In 1921, about 2 per cent were found in British Columbia; 23 per cent in the Prairie Provinces; 57 per cent

FIGURE 13





FIGURE 14



in Ontario and Quebec; and 18 per cent in the Maritime Provinces. The percentage distribution by provinces for 1931 and 1941 indicates relatively more sheep in British Columbia and the Prairie Provinces and relatively less in Ontario, Quebec and the Maritime Provinces. In 1941, 4 per cent were in British Columbia; 44 per cent in the Prairie Provinces; 42 per cent in Ontario and Quebec; and 10 per cent in the Maritimes. About one-half of the sheep population in 1941 was found in the provinces of Alberta and Ontario (Figure 14).

In British Columbia, Alberta and Saskatchewan, sheep are usually found on relatively large ranch units. In the grazing areas, sheep and cattle and often horses are found on the ranch. Invariably sheep are of the hardy, fine wool type and are kept on the range for the greater part of the year. Fine-wool types are also dominant in the inter-mountain valley and plateau areas of British Columbia. In Manitoba, sheep are kept under general farm conditions and in enclosed areas, mutton types being predominant.

In Eastern Canada, the mutton-producing types are more common than in Western Canada. Areas of greatest concentration in Ontario are in the Georgian Bay section; in other northern counties of southwestern Ontario; and in the counties of Lanark, Carleton and Renfrew near Ottawa. In Quebec, the concentration of sheep, on the basis of the 1941 census, was greatest in Three Rivers, Sherbrooke and the extreme southern and eastern counties bordering the St. Lawrence. In the Maritimes, the counties of Inverness and Antigonish, in the northern part of Nova Scotia, and the three counties of Prince Edward Island, are relatively important sheep producing areas.

Horses.—Horses are used primarily for work stock and, while they cannot be classed along with cattle, swine and sheep, as productive livestock, the livestock situation would not be complete without a reference to horses on farms.

On the basis of census reports, the horse population of Canada reached a peak of 3·6 million head in 1921¹. Since that time numbers have decreased in all sections of Canada, and in 1941 the number reported on farms was 2,788,795.

Mechanization of Canadian farms has been greatly facilitated by the advent of the general purpose tractor as a source of power. Only within the last fifteen years has the tractor supplanted the horse in a general way. Despite the change to tractors as a source of power, many farms in parts of each province use horses alone or in combination with a tractor.


Over three-quarters of all occupied farms in Canada reported horses in 1941. This was nearly equal to the proportion reporting cattle. Horses were reported on slightly more than half of the farms in British Columbia, approximately four-fifths in the Prairie Provinces, Ontario and Quebec, and about two-thirds in the Maritime Provinces.

About 2 per cent of the horse population was found in British Columbia, 63 per cent in the Prairie Provinces, 31 per cent in Ontario and Quebec, and 4 per cent in the Maritime Provinces. This is about the same regional distribution which has prevailed since the first large expansion in improved acreage in Western Canada.

Poultry.—In 1941, the total poultry population on farms was reported as approximately 63·53 million, of which 58·99 million were hens and chickens, 3·21 million turkeys, 1·27 million geese and ducks and ·06 million other kinds.

¹ Includes 158,742 horses kept in cities and towns.

FIGURE 15



Up to 1931 there was a steady increase in the hen and chicken population, which was only 12,696,701 in 1891. The peak in census years occurred in 1931 when 61,227,229 were reported.

In 1941 about 4 per cent of the hens and chickens were found in British Columbia, 40 per cent in the Prairie Provinces, 37 per cent in Ontario, 14 per cent in Quebec, and 5 per cent in the Maritime Provinces (Figure 15). For turkeys, the main other kind of poultry, a regional breakdown indicated 1 per cent in British Columbia, 70 per cent in the Prairie Provinces, 21 per cent in Ontario, 6 per cent in Quebec, and 2 per cent in the three Maritime Provinces.

The average size of farm flock of hens and chickens in 1941 was 103 in British Columbia, 79 in the Prairie Provinces, 122 in Ontario, 52 in Quebec, and 39 in the Maritimes.

Irrespective of the main type of production found on the farms of Canada, hens are kept on nearly all of them in sufficient numbers to supply the farm family with eggs and fowl. Poultry raising, however, assumes commercial importance on a relatively large number of farms in the Lower Fraser Valley and Howe Sound areas near Vancouver, in nearly all sections of southern Ontario, on farms near the cities of Montreal, Quebec and Three Rivers in Quebec and in the Annapolis Valley of Nova Scotia. In the Prairie Provinces, specialization in poultry production is not usual except near the larger urban centres and on a relatively small number of farms.

Fur-Bearing Animals.—Early development in raising fur-bearing animals in captivity took place first in Prince Edward Island, later in Quebec and then in Ontario and Nova Scotia. While foxes were the first to be raised in captivity on a commercial scale, many other kinds of fur-bearing animals are now being raised, such as mink, raccoon, skunk, marten, fisher and rabbit. The development of new colour phases in foxes and mink was an important incentive to the fur-farming industry. Mink are the most numerous followed by the various types of foxes. These far out-number all other kinds of fur-bearing animals.

There was a slow and steady increase in the number of farms where fur-bearing animals were raised until 1938 when 10,455 were reported.¹ The period of growth from 1920 to 1938 was the most rapid. With the outbreak of hostilities and the loss of the London and European markets, prices declined and a considerable number of farmers raising fur-bearing animals went out of production. In 1941, there were 8,440 farms reporting fur-bearing animals and numbers have decreased further since that time.

The most intensive fur-farming areas are found in Prince Edward Island, Nova Scotia, New Brunswick, and Quebec.

A considerable development of fur farming has taken place in parts of Canada other than in the Eastern Provinces. A distribution of the 8,440 fur farms reported in 1941 showed 5 per cent in British Columbia, 26 per cent in the Prairie Provinces, 16 per cent in Ontario, 31 per cent in Quebec, and 22 per cent in the Maritime Provinces.²

Bees.—A total of 409,890 colonies and 28,190 beekeepers were reported in Canada in 1941³. Production of honey in that year was 27·5 million pounds. The

¹ Quarterly Bulletin of Agricultural Statistics. Dominion Bureau of Statistics. Jan.-Mar. 1941.

² Report on the Fur Farms of Canada 1945, Dominion Bureau of Statistics.

³ Quarterly Bulletin of Agricultural Statistics, January-March 1942, Dominion Bureau of Statistics.

index of production of 149.2 in 1941 (1924-25=100) indicates considerable development in beekeeping, a large proportion of which has taken place in Western Canada.

The regional distribution of colonies in 1941 showed about 5 per cent in British Columbia; 26 per cent in the Prairie Provinces, 49 per cent in Ontario, 19 per cent in Quebec, and 1 per cent in the Maritime Provinces.

Beekeeping made the greatest development in the provinces of Saskatchewan and Alberta during the late thirties. Comparing the 1941 figures with the average of the 1934-38 period, the number of beekeepers increased by 51 and 118 per cent, respectively, in these provinces, while the number of colonies doubled. In Ontario, where production is largest, the number of beekeepers decreased by about 6 per cent while production remained about the same.

Commercial beekeeping has become a specialized business in some areas while, in general, the practice of keeping one or two colonies is associated with supplying only the needs of the farm family. In Ontario, beekeeping is concentrated near Georgian Bay and in counties near Toronto. In Manitoba, beekeeping is general in most sections except in the southwestern portion. In Saskatchewan, the parkland areas of the province, particularly in the northeast corner, are important honey producing areas. In Alberta, concentration is greatest in the irrigated areas and in the northern section surrounding Edmonton.

GEOGRAPHICAL DISTRIBUTION OF FARM TYPES

Type of Farming Classification

The 1941 Census classified individual farms¹ by type, using as a basis the main source of revenue in 1940. The basis used for this classification was that 50 per cent or more of the gross revenue (including the total value of farm products sold, products used on the farm and outside income) should be obtained from one source, and that no second source should represent as much as 50 per cent of the main source. For purposes of this study those farms on which 50 per cent or more of the gross revenue was made up of the sale of farm products, were considered to be commercial farms; those on which the value of farm products consumed on the farm made up 50 per cent or more of the gross revenue were classified as self-sufficient farms; while farms on which income from non-farm sources made up 50 per cent or more of the gross revenue were classed as part-time farms. Commercial farms were further classified according to type of production as follows:

- (1) Grain and hay farms,
- (2) Crop specialty farms,
- (3) Fruit and vegetable farms,
- (4) Dairy farms,
- (5) Poultry farms,
- (6) Livestock farms,
- (7) Forest and apiary farms.

¹ For purposes of the Census of Canada, 1941, a farm is an area of land of one acre or more in extent, which produced in the year preceding the census, agricultural produce to the value of \$50 or more, or was in crops or used for pasture in the Census year.

FIGURE 16





FIGURE 17



Farms not falling into one of the main type groups were classified as combination of the main types. These combinations were grouped into five sub-types as follows:

- (a) Grain and hay combinations,
- (b) Livestock combinations,
- (c) Dairy combinations,
- (d) Self-sufficing combinations,
- (e) Other combinations (including part-time).

Where, however, 40 per cent of the gross revenue on a farm within one of the above groups, such as grain and hay farms, was derived exclusively from one product, for example wheat, that farm was classified as a wheat farm.

The accompanying dot maps indicate the distribution of some of the main types of farms. In interpreting the distribution of each of the farm types as shown on these maps, it should be understood that the location indicates only that the particular type considered is important in that locality, but is not necessarily found to the exclusion of other farm types. A comparison of these maps along with dot maps showing the distribution of the various products provides a basis for appraising the relative importance of each type of production.

Commercial Farms

Cash Grain Farms.—Cash grain farms are found in all settled sections of the Prairie Provinces; in the Peace River block of Alberta and British Columbia; in the counties of Essex, Kent and Lambton in Ontario; and in the counties of Laprairie and Napierville in Quebec (Figure 16).

In Western Canada, wheat is the main kind of grain produced for sale in the open plains area, while oats and barley are of greater relative importance on the parkland Black soils and the Grey Wooded soils. Oats and barley occupy a more important position on the average farm in Manitoba and in sections of Alberta than in the major portion of Saskatchewan.

In the counties of Essex, Kent and Lambton in Ontario, corn, fall wheat and oats were the most important cash grain crops in 1940. In Quebec there are few cash grain farms, oats being the most important cereal crop.

Potato Farms.—Inspection of the dot map showing the location of specialized potato farms in Canada (Figure 17), indicates a relatively narrow and localized distribution. Potato farms, as such, are found in all sections of Prince Edward Island, the upper St. John Valley of New Brunswick and in the counties adjoining the city of Montreal. Other centres of minor importance as compared with these are the area north and west of Toronto and Essex county in Ontario, the Winnipeg and Kildonan area in Manitoba, and sections of the Lower Fraser Valley in British Columbia.

Sugar Beet Farms.—Farms on which the sale of sugar beets in 1940 made up at least 50 per cent of farm products sold were found in the counties of Kent, Lambton, Essex and Middlesex of Ontario, in the Taber, Lethbridge, Raymond and Magrath irrigated areas of Alberta and in the Winnipeg and Red River Valley districts of Manitoba (Figure 18).

Tobacco Farms.—Tobacco farms, as reported in 1941, are concentrated largely in the counties of Norfolk, Elgin, Essex, and to a decreasing extent in the counties of Kent, Oxford and Brant in Ontario (Figure 19). A total of 83.9

Figure 18





FIGURE 19



TOBACCO FARMS, 1940
(1 DOT = 20 FARMS)

million pounds of tobacco was produced in Ontario in 1941, mainly of the light cigarette type¹. This was about 90 per cent of the total Canadian production. Production in Quebec was 9.5 million pounds and farms specializing in tobacco were found in the counties of Joliette, Montcalm, L'Assomption and Berthier. The only other province where climatic and other physical factors permitted specialization in tobacco was in British Columbia; some 766,000 pounds having been produced in the Lower Fraser Valley in 1941.

Fruit and Vegetable Farms.—Fruit and vegetable production in Canada has expanded at a rapid rate and covers a relatively wide range of crops. The regional distribution of specialized fruit and vegetable farms is shown in Figure 20. Apple farms are found principally in the Annapolis Valley of Nova Scotia; the Gagetown district of New Brunswick; the Rouville area of Quebec; that part of Ontario lying along the north shore of Lake Ontario, the eastern end of Lake Erie and south of Georgian Bay; and the Okanagan Valley of British Columbia. Farms specializing in such soft fruits as peaches, plums and cherries are largely confined to the Niagara District in Ontario and the southern Okanagan Valley in British Columbia. Pear orchards are important in these areas. Vineyards for the production of grapes occur in the Niagara Peninsula. Small fruits such as strawberries and raspberries are produced more widely, specialized small fruit farms occurring in the vicinity of urban centres in most parts of the country.

Vegetable or market garden farms are found adjacent to most of the larger centres of population but are particularly important in the vicinity of Montreal and Toronto, in Prince Edward, Norfolk, Kent and Essex counties of Ontario, the Winnipeg area in Manitoba and the Okanagan and Lower Fraser Valley of British Columbia.

Beef Cattle Farms.—Beef cattle production is common to the average farm business over a wide range of districts in Canada. There are few farms even in intensive and specialized areas, where cattle kept for beef are not found. Frequently the dual use of cattle for beef and dairy purposes overlaps and a distinct separation is very difficult.

Areas where beef cattle production provides the major source of farm income, however, are distinguishable as compared with sections where diversification of beef cattle production with other enterprises results in a mixed type. These areas are shown in the accompanying dot map (Figure 21). The internal farm organization with respect to the beef cattle enterprise differs somewhat between the various areas of concentration. In the counties of Ontario bordering on Lake Huron and Georgian Bay, the topographical and soil conditions are such as to make substantial areas of rough pasture available. Stall feeding is practised in surplus feed areas such as Essex and Kent, a common practice being to buy feeder cattle and fatten them in addition to those raised. In Middlesex and Lambton grass fed cattle are of more importance.

In the short-grass and foothills areas of the prairies, beef cattle production is a grazing or range proposition and the scale of operation is of a relatively large and extensive nature. A similar situation exists on beef cattle farms in the northern inter-mountain valley and plateau areas of British Columbia. In the area from Olds to Edmonton in the parkland section of Alberta, beef cattle production is associated with a variety of farm enterprises and, as shown on the map, is the major enterprise on a considerable number of farms.

¹ Quarterly Bulletin of Agricultural Statistics, Dominion Bureau of Statistics, Vol. 36, p. 93.

FIGURE 20





FIGURE 21



Dairy Farms.—Farms on which the major share of farm income in 1940 was derived from milk and milk products are, for the most part, concentrated near the industrial centres of Ontario and Quebec (Figure 22). Dairy farms near the large urban centres were mainly of the fluid milk type. In other parts of the country, the major part of the farm income represents sales of butterfat, cheese or butter, or the sale of whole milk for the production of these and other dairy products. The development of this type of production has been greatly enhanced by the establishment of creameries, cheese factories and other dairy manufacturing facilities when strategically located.

In addition to Eastern Canada, an extensive concentration of dairy farms occurs in the Lower Fraser Valley and Howe Sound areas of British Columbia. A few dairy farms are also found near each of the main urban centers in Alberta and Saskatchewan. In Manitoba most dairy farms are found in the inter-lake area and the southeastern corner of the settled portion of the province.

Swine Farms.—The pattern of swine farms and hog production in general in Canada closely follows the pattern of barley production and, to some extent, oats production. This may be readily noted by a comparison of the dot map showing the distribution of swine farms (Figure 23) with the maps for barley and oat production (Figures 5 and 4).

Swine farms are found in nearly all counties of southern Ontario with the greatest concentration in the counties of Perth, Waterloo, Wellington and Huron, Simcoe and Dufferin, and in the extreme southwest counties of Essex and Lambton. In Quebec, swine farms are most common around St. Hyacinthe.


Outside Ontario and Quebec, swine farms are mainly in the parkland areas of Western Canada. Those of most intense concentration are in the general Olds, Red Deer, Edmonton and Vegreville areas. This area also extends to some extent into the northeastern districts of Alberta around St. Paul and Bonnyville and northwestern Saskatchewan. In Saskatchewan, hog production is of greatest importance in the Prince Albert, Melfort and Humboldt districts. In northern Manitoba, swine farms are relatively numerous around Swan River. In southern Manitoba, swine farms are found largely in the Portage La Prairie, Carman and Winnipeg areas. Outside of Ontario, parts of southern Quebec and the Prairie Provinces, specialized swine farms are relatively unimportant, pigs being raised to supplement other farming enterprises.

Sheep Farms.—Sheep are produced in many areas as a side-line enterprise and there are relatively few farms in Canada which can be termed sheep farms on the basis of 50 per cent or more of the farm income being derived from this source (Figure 24). Of greatest importance are the open plains sections of southern Alberta and southwestern Saskatchewan and particularly where physical and climatic factors make the growing of wheat an extremely hazardous venture. In Alberta, many sheep farms or ranches are found in the more favoured grass land and foothills areas near Cardston and in the parkland section from Olds to Red Deer to Edmonton.

Sheep ranches are found interspersed with beef cattle ranches in the inter-mountain grazing valley and plateau areas of northern British Columbia. Many farmers in the Canada Land, Bow Slope and Brooks irrigation districts use the adjoining lands, which are submarginal for wheat production, for the grazing of sheep which are fattened on the products from the irrigated land.


In Manitoba, farms termed as sheep farms, are found mainly in the Gladstone, St. Rose du Lac, Winnipegosis and inter-lake areas. In Ontario, sheep

FIGURE 22



DAIRY FARMS, 1940
(DOT = 30 FARMS)

Figure 23



farms occur largely in the counties near Georgian Bay and the northern countries of southwestern Ontario, in Middlesex and Elgin, and in Renfrew and Lanark counties in eastern Ontario.

Miscellaneous and Forest Product Farms.—Farms on which 50 per cent or more of the gross revenue was obtained from the sale of forest products, maple sugar or syrup and honey or beeswax were classified as Miscellaneous and Forest Product Farms. Apart from a small number of specialized apiaries which fell into this group, farms of this type are found largely in the occupied wooded areas of each province (Figure 25).

In the early pioneer stage of development of a wooded area, forest products usually represent an important source of cash income on farms. Such cash income is supplemented by income in kind in the form of food for the farm household and by some sales of farm products. In the more productive areas as land clearing and development progress, income from the sale of farm products becomes more important and the farm woodlot serves as a source of supplementary income and fuel for household use. In rough or swampy areas where the soil is relatively poor and unproductive the second stage of development may not materialize and the sale of forest products together with outside employment remain the main sources of cash income. In many areas improved land has been abandoned for cropping purposes and has reverted to permanent pasture and forest.

Forest product farms are principally found in the cut-over sections of Nova Scotia, New Brunswick, the Gaspé Peninsula, in northern areas of Quebec and in northeastern and northern Ontario as well as in certain areas in British Columbia. In the northern sections of the Prairie Provinces and in southeastern Manitoba farms falling into this class are found largely in areas of recent occupancy and represent a pioneer stage in agricultural development.


Self-Sufficing Farms

Self-sufficing farms in general represent small farms with a simple organization which usually supply a rather meagre living to the operator and his family. The term, self-sufficing farm, should not be interpreted to mean that such farms actually produce enough to supply the entire needs of the farmer and his family. They are rather farms on which there is little, if any, commercial agriculture. On such farms the income from the sale of farm products is of minor importance, the major contribution being the provision of shelter and food for the farm family. As shown in Figure 26, there is a rather wide distribution of these farms in Eastern Canada, areas of concentration being found along the Atlantic and Gulf of St. Lawrence shore lines in the Maritime Provinces and Quebec. Typical areas where self-sufficing farms are common are the Gaspé Peninsula, Chaleur Bay and in Yarmouth and Shelbourne counties in Nova Scotia. In western Canada self-sufficing farms are interspersed with commercial farm types in the parkland areas of the three Prairie Provinces and on the fringes of settlement. In British Columbia such farms are found in nearly all the settled sections.

Part-Time Farms

Part-time farms are farms where 50 per cent or more of the gross revenue is obtained from work performed off the farm, such as lumbering, fishing, road work, custom work, and from overnight lodgers or tourists. Part-time farms are of a great deal of interest and are becoming increasingly important. Two general

FIGURE 24



SHEEP FARMS, 1940
(DOT = 5 FARMS)

FIGURE 25





FIGURE 26



situations are represented on these farms. Around the cities they may represent farms which are operated by persons whose occupation is other than farming and who depend on other lines of endeavour for their principal income. In areas remote from urban centres, the operators of these farms generally report their occupation as farming but supplement their income from work at jobs other than farming.

As shown in Figure 27, part-time farms in Canada have a wide distribution through the greater part of the settled areas but the heaviest concentration occurs along the Atlantic and Gulf of St. Lawrence coastal regions in conjunction with fishing, in the forest areas of Nova Scotia, New Brunswick and Quebec and around the mining areas in northern Quebec and Ontario.

Semi-Commercial Farms

Another important group of farms, the general pattern of which follows the outline of self-sufficing farms, is what may be described as a semi-commercial type. This type of farm, which is classified in the census as self-sufficing combination, represents a further stage in the degree of commercialization of agriculture, the principal source of revenue being from products produced for consumption on the farm, supplemented by some sales of farm products. Areas of greatest concentration for this type are found in southern Quebec, the shoreline of the counties bordering on the St. Lawrence River and in Prince Edward Island (Figure 28). In Western Canada the pattern is also similar to the self-sufficing farms with a tendency to a concentration in the areas north and south of Winnipeg, sections bordering on the Riding Mountain area and parts of northeastern and east-central Saskatchewan.

TYPES OF FARMING ACCORDING TO REGIONS

The accompanying colour map of type-of-farming areas in Canada is based on a two-fold classification. This classification includes (1) economic organization which is shown in cross-hatching, and (2) kind of production carried on which is shown in colour. An examination of the map will show that agriculture in Canada has been differentiated into 198 major type-of-farming areas. Of these 27 are in British Columbia; 69 in the three Prairie Provinces; 32 in Ontario; 45 in Quebec; and 25 in the Maritime Provinces.

Classification of Type-of-Farming Areas

Two measures have been used in the classification of type-of-farming areas. These are the percentage of total farm income from various sources and the proportion of the labour input, measured by productive man work units,¹ which was applied to the different farm enterprises.

Census districts were first classified according to organization as commercial, semi-commercial, self-sufficient or part-time farming areas. Areas were designated as semi-commercial if products consumed on the farm represented 35 to 60 per cent of farm sales. If products consumed amounted to over 60 per cent

¹ A productive-man-work-unit is a comparative measure of the amount of productive work which may be accomplished by a man in a 10 hour day. In applying this measure the number of productive man work units required to care for an acre of the various crops or one unit of the different classes of livestock is computed on the basis of the best data available; the resulting standards are multiplied by the number of units of each enterprise to obtain the total labour input per farm.

FIGURE 27





FIGURE 28



of total sales the areas were called "self-sufficing". Areas where outside income represented over 40 per cent of farm production were classified as "part-time" farming.

In the classification according to type of production minor census divisions were grouped according to the percentage of total farm income which was obtained from a particular source. Dominance of a particular type of farming was determined on the basis that 50 per cent or more of the income was derived from that particular source, and that no second type represented as much as 50 per cent of the main source. Areas in which two principal sources were required to make up 50 per cent or more of the income, and where no third source made up more than half of the lowest of the other two, were classified as combination types. Areas showing a number of main sources of income, none being dominant, were classified as mixed.

The areas established on the basis of income were checked against a map based on the proportion of the total productive man work units of labour applied to different enterprises.¹ The relative importance of types of farms in a particular area was indicated by a frequency distribution of all types there. Other factors such as condition and utilization of land, as well as soil and topographical features, were used to check boundaries of areas. Data with respect to these factors are included in the appendix.

British Columbia.—The 1941 census of agriculture indicated a total of 26,394 farms in British Columbia. Out of 4,033,570 acres of occupied land, only 893,085 acres were improved. In 1941 the farm population in British Columbia was 102,446 or 12.5 per cent of the total population of British Columbia. In 1931 the farm population accounted for 14.7 per cent of the population of the province.

Farms in British Columbia are relatively small. Less than 41 per cent of the farms were over 50 acres in size in 1941 and only 14 per cent were over 200 acres. The average size of farms was 153 acres, of which 34 acres was improved land. Field crops averaged 20 acres, improved pasture 6 acres and the balance was largely in fallow, orchards and market gardens. The unimproved land was mainly native pasture, with sizeable acreages of woodland and minor amounts of marsh and waste land.

In distribution of field crops, cultivated hay averaged 10 acres, oats, wheat and barley averaged 4, 3 and 1 acres, respectively, while crops such as potatoes, mixed grains, rye and others made up lesser amounts.

Livestock numbers were relatively large, especially cattle. An average of 12 cattle per farm were kept, of which 4 were dairy cows. There was an average of 5 sheep and 3 pigs per farm, while hens, chickens and other poultry averaged 106 per farm. Horses averaged only 2.4 per farm.

Agricultural production is carried on intensively in most sections of southern British Columbia and in parts of Vancouver Island (Figure 2). Dairying in combination with livestock and poultry is the basic type of farming on Vancouver Island, although fruit and market gardening are important in some areas. Near Vancouver, in the Fraser Valley, dairying and poultry raising are carried on as basic enterprises, while small fruits, market gardens and potatoes are also important. The Okanagan Valley as a whole is famous for apple production and other tree fruits, small fruits and vegetables are of particular importance in the southern part of the Valley. Fruit and vegetables are the principal enter-

¹ Map prepared under direction of N. Keyfitz, Dominion Bureau of Statistics, Ottawa, from material supplied by Economics Division, Department of Agriculture.

prises in the Grand Forks and Nelson-Creston areas. In other areas of southern British Columbia, dairying is combined with small fruits and vegetable gardens as well as with beef cattle and poultry.

In the northern section along the Prince George-Prince Rupert railway line, livestock production is interspersed with dairying and poultry and feed grains are relatively important. The scale of farm operations is predominantly on a semi-commercial, self-sufficing or part-time basis. In the central interior, livestock production under range conditions is of considerable importance.

In the northeastern districts of British Columbia, agricultural development is an extension of the Alberta section of the Peace River area. Commercial wheat production is important in the Pouce Coupe area while farther north and around Fort St. John, livestock production on a semi-commercial scale is predominant.

The Prairie Provinces.—The Census of Agriculture in 1941 reported a total of 296,469 farms in the Prairie Provinces. About 34 per cent were in Alberta, 47 per cent in Saskatchewan and 19 per cent in Manitoba. Occupied farm land amounted to 43,277,925 acres in Alberta, 59,960,927 acres in Saskatchewan and 16,891,322 acres in Manitoba. These together make up nearly 70 per cent of the occupied farm lands of Canada.

In the Prairie Provinces a relatively high proportion of the population is on farms. In 1941 this ranged from 57.4 per cent in Saskatchewan to 48.2 in Alberta and 34.2 in Manitoba, as compared with 21.6 per cent for the remainder of Canada. While the total population of the Prairie Provinces was only 21.1 per cent of Canada's total population, the prairie farm population represented nearly two-fifths of the farm population. On the prairies, the rural population is thinly spread and is found on relatively large farms. Considerable variation in density, however, occurs in various sections of the three Prairie Provinces. In general the density of rural population is much greater in the parkland and wooded areas of each province.

While there is a wide range in size of farms in all parts of each province, the average number of acres per farm was 434, 432 and 291 acres for Alberta, Saskatchewan and Manitoba, respectively. Improved land per farm ranged from an average of 256 acres in Saskatchewan to 202 acres in Alberta and 169 acres in Manitoba. This represents 59 per cent of the occupied farm land in Saskatchewan, 46 per cent in Alberta and 58 per cent in Manitoba.

In 1941 field crops occupied about 58 per cent of the improved land and summerfallow about 35 per cent. Wheat, oats and barley are the most important cereal crops. The average wheat acreage in Saskatchewan was 88 acres per farm as compared with 66 in Alberta and 43 in Manitoba. The acreage of oats per farm was 23 acres in Manitoba and 29 in Alberta and Saskatchewan. On the average Manitoba had 26 acres of barley per farm while Alberta and Saskatchewan had 16 and 12 acres, respectively.

Cattle, sheep and swine numbers, in 1941, averaged higher in Alberta than in Saskatchewan or Manitoba. In Alberta there were 13 cattle, 7 sheep and 17 swine per farm as compared with 9 cattle, 2 sheep and 7 swine in Saskatchewan and 12 cattle, 4 sheep and 9 swine in Manitoba. The average poultry flock was 112 birds in Manitoba as compared with 88 in Alberta and 78 in Saskatchewan.

In the Prairie Provinces agricultural operations are generally on a commercial scale. Areas where this is not typical are on the fringe of settlement and generally associated with farms in the Grey soils and in wooded areas.

The importance of wheat production in the Prairie Provinces overshadows all other types of agricultural production. In the greater part of southeastern Alberta, south central Saskatchewan and southwestern Manitoba, wheat is the major and in many cases, the only farm enterprise. In some areas the production of livestock and livestock products is supplementary to wheat, resulting in a wheat combination type of farming.

Grain specialty and grain combination farms are found in northern Alberta, the irrigated areas of southern Alberta, northeastern Saskatchewan and south central Manitoba where feed grains, alfalfa, grass seed, clover, sugar beets and canning crops compete with wheat as major farm enterprises.

Livestock enters into the typical farm set-up on many grain farms and to a greater degree in the livestock combination and livestock specialty farms. The semi-arid sections and the foothills ranching areas are classified as livestock specialty areas due to the predominance of cattle and sheep. Hogs are usually associated with diversified crop enterprises and as a result, even when large numbers of hogs are carried, these farms do not emerge in the classification as livestock specialty farms.

Although specialized dairying is carried on by a number of farmers close to each important urban centre, dairy farming is not of sufficient importance on an area basis to show up as a type-of-farming area. However, most farmers, except possibly those located on the superior wheat clay loam and clay soils, keep at least a few cows and ship some cream during the summer period.

Ontario.—The first agricultural settlement in Ontario was in the Niagara peninsula in 1780. The development was continuous from that time forward and by 1852 there were just under 100,000 farms in the province. The number of farms in Ontario reached a peak about the turn of the century. Since then numbers of farms have shown some decline and in 1941 totalled 178,204.

In 1941, 704,420 persons in Ontario were classified as farm population. This was 35.9 per cent of Canada's farm population. Those on farms represented 18.6 per cent of the total population of the province in 1941 as compared with 23.3 per cent in 1931. Farm population figures are not available prior to 1931 but the percentage of total population classified as rural decreased from 78.0 per cent in 1871 to 38.3 per cent in 1941. This shift in population from farms to cities and towns has been closely associated with the industrial development of the province.

The occupied farm land in Ontario in 1941 was 22,387,981 acres. This is approximately one-half the occupied area in Alberta and over one-third of Saskatchewan's occupied farm lands. The improved area in Ontario is about 60 per cent of the land used for farming purposes.

As compared with the Prairie Provinces farms in Ontario are relatively small. Approximately 70 per cent of all farms ranged in size from 50 to 200 acres in 1941. Only 1,274 farms were in the size grouping of 480 to 639 acres while 675 farms were of a larger size.

The average size of farm was 126 acres with 75 acres improved and 51 acres in field crops. Improved pasture averaged 18 acres per farm while orchards, market gardens, fallow and other uses averaged 6 acres. A break-down of the distribution of field crops reveals that cultivated hay crops, oats, mixed grains, wheat and barley, with an average of 21, 11, 9, 3 and 2 acres, respectively, were the main crop.

Total cattle numbers were the highest of any province, the average per farm being 15 head. Sheep averaged 4 per farm, swine 10 and hens, chickens and other poultry 130.

In Ontario specialized areas are often not well defined and in only rare instances can one find all of the farmers in a given area producing the kind of product for which the district is known. Diversification has been brought about partly through the adaptability of a wide range of crops, varying soil conditions and a comparatively large nearby market for livestock and dairy products and a variety of other farm products. Intensity of farm production is relatively high in most of southern Ontario.

Cash crops are of greatest significance in the extreme southwestern counties of Essex and Kent where corn, tobacco, sugar beets, swine, beef cattle and market gardens are combined on an extensive scale. A larger part of southern Ontario falls into livestock specialty and livestock combination farm types. In the counties bordering Lake Huron and Georgian Bay and the area extending through the north central counties to Peterborough, beef cattle and swine are more important relatively than in other parts. Dairy specialty and dairy combinations are found largely in the southeastern counties and extending to Toronto. In the eastern counties of Ontario, dairy specialty and dairy combination types are also the most important. In addition to dairy production, swine, beef cattle and poultry are valuable enterprises. In the Arnprior, Renfrew and Pembroke areas, feed grains are a source of additional farm income.

Canning crops are an especially important source of income in Prince Edward County. Sugar beet production is important in south Lambton, west Elgin, Essex, and Kent, and tobacco raising reaches its highest degree of specialization in Norfolk county. Fruit and vegetables are the main sources of income in the Niagara peninsula and on a relatively narrow strip of Lake Ontario shoreline to Toronto.

In the area north of Lake Simcoe and extending up to North Bay, mixed farming on a semi-commercial scale is prevalent. A considerable part of this territory is not well suited to agriculture. The sale of forest products combines with beef cattle and dairy products as the major sources of income. A dairy combination farm type predominates in the Cochrane, New Liskeard and Sudbury areas of the northern sections of Ontario. In the Cochrane area, livestock and poultry account for a large part of the farm income. A great proportion of farm production is consumed on farms and for many farmers outside employment in lumbering camps and mines is an important supplement to the farm income.

In the extreme western section of Ontario, relatively small areas of agricultural development exist in the Kenora, Dryden, Rainy River and Fort William-Port Arthur areas. In these areas sources of income other than agriculture are of great importance, and result in part-time farming. Agricultural products are mainly of animal origin, milk, meat and wool, while the sale of forest products from the farm makes up a large part of the gross income. At Sault Ste. Marie a dairy combination type of farming is predominant while on Manitoulin Island beef cattle, sheep and poultry together with dairy products result in a broader livestock combination type.

Quebec.—Agriculture in the province of Quebec was first started in 1608 when twenty-eight settlers spent the winter at Quebec. For many years, agricultural development was slow because of the numerous difficulties encountered by settlers. In 1667 the population of the area was 3,918 and only 9,674 acres were under cultivation.

Settlement proceeded slowly for many years and only after the middle of the century and the industrial revolution in Great Britain and France did the rate increase. By 1844, 114,496 farms were reported; this number increased until 1891 when there were 174,996 farms. Following that year the number of farms in Quebec declined until, in 1931, 135,957 farms were reported. In 1941 the number of farms was 154,669, an increase of 18,712 over 1931. Only about 5.4 per cent of the total land area of Quebec has been occupied. This is due to the rugged nature of most of its northern section, largely included in the Canadian Shield. Since 1871 there has been a gradual increase in the occupied farm area. In 1871, 11,025,786 acres were occupied as compared with 18,062,564 in 1941.

The population of Quebec was 3,331,882 in 1941, second only to that of Ontario. The percentage of population reported as being on farms was 25.2 per cent, which is slightly more than in Ontario. The shift of population from farming to urban centres followed a similar trend to that in Ontario. In 1871, 78.0 per cent of the population was rural as compared with 60.3 per cent in 1901, 44.0 per cent in 1921 and 36.7 per cent in 1941.

Over 73 per cent of Quebec farms range from 51 to 200 acres in size. Only 1,081 farms were over 480 acres in 1941. The distribution of farms by size is similar to that in Ontario.

The average size of farms was 117 acres in 1941. Improved land amounted to 58 acres, of which 39 acres were utilized for field crops, 16 acres for improved pasture and 3 acres for all other crops. The area in woods was 39 acres per farm. This was considerably more than in Ontario, but substantially less than the average in New Brunswick or Nova Scotia. As in Ontario, cultivated hay was the most important crop, averaging 24 acres per farm, while oats averaged 10 acres.

The cattle population is directly associated with the relatively high improved pasture and cultivated hay acreage. Cattle averaged 11 head per farm, while sheep averaged 3, swine 5 and poultry 54.

In Quebec the layout of the farms in the older settled areas has been conditioned by the fact that settlement took place first along the rivers and each colonist was given access to the river, which at the time provided the only means of transportation and communication. Later when settlement had increased a second tier of farms was opened up along a roadway or concession a mile or more behind the first. These and other factors had a bearing on the pattern of settlement and resulted in an irregular system of land holdings as compared with the regular and uniform unit survey pattern in the Prairie Provinces. In Quebec, 95.2 per cent of the occupied farm land was operated by the owner in 1941 as compared with 85.0 per cent in Ontario, 80.2 per cent in British Columbia and 59.4 per cent in Saskatchewan. While prior to 1941 mechanization of farms took place more slowly in Quebec than in some other provinces the present trend is distinctly in that direction where conditions make it possible.

As a result of the comparatively level topography and a high percentage of arable land together with the favourable climate, agriculture in the St. Lawrence Lowlands is generally quite prosperous. The absence of serious crop hazards and the proximity of a large domestic market have a stabilizing effect on farm income. Diversity of products is general, there being quite a variety of farm enterprises, but major importance is usually attached to one or more enterprises in the operation of the individual farm. In the rough and hilly areas and in the areas removed from the Lowlands the prevalence of forests hinders

agricultural development and favours a part-time or non-commercial farm type.

A large section of southern Quebec was classified as dairy specialty and dairy combination farm types. This is particularly the case in the counties south of the St. Lawrence and east to include the Eastern Townships. Beef cattle, swine and orchards often combine with dairy products in varying proportions in these areas.

A number of areas in which there is no dominant enterprise are classified as mixed farming. In the Papineau, Labelle, St. Agathe area, north and east of the Ottawa River, dairying is combined with forest products and livestock on a semi-commercial basis. In the Rouville and Montreal areas dairying is combined with apples, market garden crops, livestock, tobacco and potatoes on an extensive scale. The Ste. Julienne de Ramsay and Compton and Wolfe areas touching on Maine and extending north to the Island of Orleans have a combination of dairying, beef cattle, swine, poultry and forest products. In the wooded areas in the easterly part of southern Quebec, maple sugar is an important source of farm income. Market gardens, potatoes and milk are important parts of the farm business close to the urban centres. Tobacco, of the cigar and flue cured types, has found a place of importance in the L'Assomption, Joliette and Rouville areas.

On the south shore of the St. Lawrence River dairying is of special importance combined with swine, beef cattle and potatoes. In the Matane, Gaspé and Bonaventure areas farming is usually a part-time and non-commercial proposition, the main farm enterprises being dairying, livestock production and poultry associated with the sale of forest products.

On the north shore of the St. Lawrence in its eastern section, forest products are of main importance together with dairy and livestock. In the Lake St. John area dairying provides the main source of farm income while livestock and livestock products are also important. In the northern Saguenay and St. Francois de Sales areas, mixed dairy, forest products and livestock combination is the general farm organization carried out on a part-time and self-sufficing basis.

In that part of the clay belt adjoining the Cochrane and New Liskeard areas in Ontario, dairy combination and mixed types are predominant. Operations are mainly on a part-time and semi-commercial basis.

The Maritime Provinces.—New Brunswick, Nova Scotia and Prince Edward Island are grouped together largely because of the similarity in climate and soils, because of the close association of farming activities with the forest and sea and also because there is a close association of farm types in each province. In these provinces, agriculture was developed at an early date. Settlement took place in Nova Scotia early in the seventeenth century and the export of apples was first made from the Annapolis Valley in 1881. By 1881, there were 36,837, 55,873 and 13,629 occupied farms in New Brunswick, Nova Scotia and Prince Edward Island, respectively. In Nova Scotia and Prince Edward Island the peak was reached in 1891, while the peak year in New Brunswick was 1911.

A moderate proportion of the Maritimes is still rural even though the percentage has declined consistently since the late 1880's. This is especially true in Prince Edward Island. In the Maritimes 358,482 persons were classified as farm population in 1941 out of a total of 1,180,770.

Prince Edward Island uses the highest proportion of its land area for farming. Here 83.6 per cent of the land is in farms as compared with 22.5 and 28.7 per cent for New Brunswick and Nova Scotia, respectively.

In 1941, 3,964,109, 3,816,646 and 1,618,868 acres, respectively, were in occupied farms in the provinces of New Brunswick, Nova Scotia and Prince Edward Island. This represents about 42 per cent of the occupied farm land in Ontario and only 15.7 per cent of that in Saskatchewan. The majority of Maritime farms fall in the 51 to 100 acre range and the average size in 1941 was 124, 116 and 96 acres in New Brunswick, Nova Scotia and Prince Edward Island, respectively.

The average acreage of improved land in Prince Edward Island was 60 acres per farm as compared with 39 acres in New Brunswick and 24 acres in Nova Scotia. The area in field crops was 38, 27 and 16 acres for the respective provinces. The remainder of the improved land was largely devoted to improved pasture. In New Brunswick and Nova Scotia, land classed as woodland averaged 69 and 63 acres per farm, respectively, which is considerably higher than for any other province. Cultivated hay and oats were the most important crops in each of the Maritime Provinces. Potatoes are an important cash crop and averaged 3.3 acres per farm in Prince Edward Island, 1.4 acres in New Brunswick and 0.6 acres in Nova Scotia. In Prince Edward Island over 88 per cent of the farms were reported as growing potatoes in 1941.

The number of cattle per farm was lower in these three provinces than in any other. In Prince Edward Island the average number per farm was 8 and in the other two provinces, 6. The average number kept for milking was 4 in each province.

Sheep and swine were kept in moderate numbers only. With regard to poultry, an average of 70 birds were kept in Prince Edward Island and 34 and 35 in Nova Scotia and New Brunswick.

In the Maritime Provinces agricultural production is developed along five main types of farm organization. These are the production of apples, potatoes, dairy products, fur farming, mainly foxes, and the sale of forest products.

Outside of a small area in the parish of Gagetown in the lower St. John Valley of New Brunswick, commercial apple production is confined to the Annapolis and Cornwallis valleys of Nova Scotia. In 1940, over 3.3 million bushels of apples were produced in the counties of Kings, Annapolis and Hants. In this area the production of vegetables, livestock and dairy products is also important. In the Gagetown area these enterprises are also found.

The very friable and slightly acid loam soils of Prince Edward Island and the area in Carleton and Victoria counties in the upper St. John Valley of New Brunswick favour the intensive production of potatoes. In nearly all parts of Prince Edward Island, especially in the East Point and Kings county area and the Lake Traverse area, potatoes provide the major proportion of farm income. In all areas livestock and especially dairy cattle and fur farming are important sources of income, while cultivated hay and oats are grown for livestock feed.

Three main dairy specialty areas are found in the Maritimes. These are the St. John-Sussex area in southeast New Brunswick, the Truro area on the mainland of Nova Scotia and the Sydney area in the northeastern part of Cape Breton Island. In the first two areas livestock sales also make an important part of farm income. In the Cape Breton area dairy farming has developed as a result of the proximity of the Sydney-Glace Bay dairy market for fluid

milk and is dependent largely on purchased feeds. In this area outside employment provides the major source of income on most farms with the result that the area is classified as part-time farming.

Near Moncton in the Westmorland area of New Brunswick and the Cumberland, Hants, Halifax and Pictou areas of Nova Scotia, a dairying combination predominates with dairy and livestock and either poultry or forest products as the major sources of income.

Elsewhere, in New Brunswick and Nova Scotia, agriculture is subsidiary to fishing, fur farming, trapping or lumbering. Agriculture is carried on when work is not available in the main occupation or is done by other farm folk when the operator is on the sea or in the woods. In these cases, the products are largely consumed by the farm family.

APPENDIX

TABLE 1.—PERCENTAGE DISTRIBUTION OF THE UTILIZATION OF OCCUPIED FARM LAND ACCORDING TO TYPE-OF-FARMING AREAS, 1941

PROVINCE	Area No.	Total area	Area owned	Area rented	IMPROVED LAND						UNIMPROVED LAND							
					Total	Field crops	Market gardens	Orchards and vineyards	Small fruits and nursery products	Fallow	Pasture	Other	Total	Wood-land	Prairie or natural hay	Marsh or waste land	Number of farms	Average size of farm in area
British Columbia	1	100	94.2	5.8	30.1	20.1	0.4	2.1	-	0.3	5.1	2.1	69.9	40.1	20.4	9.4	45	68
	2	100	71.5	28.5	4.0	3.5	-	-	-	0.2	0.6	0.6	95.1	41.1	30.4	23.6	88	211
	3	100	88.8	11.2	22.9	13.5	-	0.1	-	0.2	4.7	1.7	79.8	21.9	52.2	5.7	572	75
	4	100	85.6	14.4	22.9	13.6	-	0.2	-	0.4	6.7	2.0	37.7	25.9	29.5	9.5	592	91
	5	100	82.3	17.7	26.4	15.1	0.1	0.2	-	0.5	7.8	2.4	73.6	41.5	25.1	7.0	757	77
	6	100	68.2	31.8	59.7	30.6	2.3	1.3	3.0	1.7	15.4	5.4	40.3	24.8	19.3	5.1	575	30
	7	100	4.9	95.1	42.9	25.8	8.9	0.3	2.1	-	7.3	1.2	57.1	36.9	10.3	0.9	232	171
	8	100	76.5	23.5	15.1	5.9	0.2	0.3	-	0.3	7.3	1.3	84.9	48.9	18.2	4.3	438	1,231
	9	100	71.9	28.1	8.0	5.5	0.2	0.7	-	0.6	1.1	9.6	38.4	12.0	10.3	7.1	8,510	35
	10	100	81.6	18.3	61.6	34.3	1.4	0.7	1.2	0.8	19.3	2.2	33.4	23.0	31.8	9.6	338	88
	11	100	81.8	18.2	36.6	20.3	0.3	0.5	0.5	0.8	11.9	2.2	74.4	23.1	43.6	7.7	3,387	100
	12	100	85.8	14.2	25.6	10.1	1.0	7.6	-	0.9	4.5	1.9	76.8	39.0	39.6	9.5	438	192
	13	100	70.2	29.8	20.2	13.6	0.4	0.3	-	2.5	2.2	1.2	73.1	39.0	20.9	12.3	357	48
	14	100	85.5	13.5	26.9	16.1	-	1.4	0.4	0.8	6.4	2.2	66.4	25.5	16.8	14.1	1,290	50
	15	100	87.4	12.6	43.6	32.3	0.1	4.9	0.4	1.8	3.9	1.8	80.3	24.5	49.8	6.0	294	235
	16	100	79.1	20.9	19.7	12.8	-	0.1	-	0.3	2.3	1.0	79.4	42.2	30.4	11.1	134	175
	17	100	81.8	18.2	20.6	16.3	-	-	-	0.3	1.4	0.7	57.9	32.6	27.5	18.2	264	190
	18	100	85.0	14.9	12.1	9.7	-	-	-	0.1	3.4	1.9	77.5	32.6	25.1	17.8	250	71
	19	100	93.3	6.7	22.5	17.1	0.6	2.2	0.2	1.7	3.5	2.9	88.6	25.3	21.7	11.6	770	91
	20	100	76.9	23.1	41.4	30.2	-	0.1	-	0.6	2.5	2.1	89.1	23.2	41.2	6.1	655	276
	21	100	66.3	33.7	14.9	10.6	-	-	-	0.2	2.6	1.1	85.1	23.2	56.2	6.6	241	181
	22	100	90.3	9.7	13.7	11.8	-	-	-	0.4	1.8	1.1	83.8	38.5	38.8	6.5	461	209
	23	100	86.8	13.2	12.9	11.8	-	-	-	0.4	1.7	1.3	78.8	30.5	30.5	8.8	447	301
	24	100	78.0	22.0	21.2	16.0	-	-	-	0.2	2.2	2.1	74.5	49.6	18.5	6.4	297	314
	25	100	73.2	26.8	21.1	18.0	-	-	-	0.2	2.1	1.4	74.0	14.3	55.6	4.1	578	310
	26	100	74.9	25.1	26.0	19.0	-	-	-	6.2	0.4	1.4	67.3	26.5	35.9	6.9	1,084	338
	27	100	73.8	26.2	32.7	19.8	-	-	-	10.9	0.5	1.5	67.3	26.5	35.9	6.9	1,084	338
Alberta	28	100	71.8	28.2	14.7	9.5	-	-	3.6	0.7	0.9	85.3	-	81.2	4.1	40	231	
	29	100	73.1	26.9	46.2	29.4	-	-	14.5	1.3	1.0	53.8	14.1	51.4	4.6	1,734	200	
	30	100	62.1	37.9	12.7	10.1	-	-	1.8	0.8	0.8	87.3	0.1	85.1	5.8	42	302	
	31	100	74.8	25.2	48.4	30.9	-	-	15.5	0.2	0.8	51.6	7.9	37.3	6.7	4,633	330	
	32	100	75.9	24.1	17.8	14.4	-	-	2.1	0.2	1.1	82.2	55.1	18.4	9.7	2,778	283	
	33	100	69.8	30.2	23.7	17.6	-	-	4.9	0.1	0.1	70.3	23.2	52.0	1.1	291	317	
	34	100	74.5	25.5	23.1	14.1	-	-	13.6	1.1	0.9	58.9	22.9	28.4	7.6	1,290	284	
	35	100	80.6	19.4	23.9	18.2	-	-	3.1	1.3	1.3	76.1	32.6	34.5	10.0	205	236	
	36	100	74.8	25.2	29.2	21.4	-	-	4.5	1.9	1.4	70.8	31.1	29.7	9.0	535	224	
	37	100	78.7	21.3	22.7	16.3	-	-	3.6	1.3	1.5	67.8	32.3	32.4	12.0	548	233	
38	100	79.6	20.4	32.2	22.6	-	-	8.1	0.6	1.1	77.3	16.1	37.2	14.5	1,066	255		
39	100	82.8	17.2	30.1	20.6	-	-	7.2	1.0	1.2	69.9	17.2	42.1	10.6	5,106	246		
40	100	74.8	25.2	56.1	36.7	-	-	16.7	1.4	1.3	43.9	8.1	30.7	5.1	12,647	266		

APPENDIX—Continued

TABLE 1.—PERCENTAGE DISTRIBUTION OF THE UTILIZATION OF OCCUPIED FARM LAND ACCORDING TO TYPE-OF-FARMING AREAS, 1941

PROVINCE	Area No.	Total area	Area owned	Area rented	IMPROVED LAND					UNIMPROVED LAND					Average size of farm in area				
					Total	Field crops	Market gardens	Orchards and vineyards	Small fruits and nursery products	Fallow	Pasture	Other	Total	Wood-land		Prairie or natural hay	Marsh or waste land	Number of farms	
Alberta—Contc....	41	100	77.9	22.1	59.9	41.7	—	—	—	13.7	2.7	1.8	40.1	11.7	23.2	5.2	10,903	245	
	42	100	83.1	16.9	35.2	25.6	—	—	—	7.2	1.5	0.9	64.8	18.7	35.5	10.6	5,281	239	
	43	100	84.3	15.7	20.2	15.6	—	—	—	2.8	0.7	1.1	79.8	24.5	46.9	8.4	2,803	217	
	44	100	71.6	28.4	56.8	39.0	—	—	—	13.8	2.6	1.4	43.2	10.0	30.0	3.2	10,654	314	
	45	100	53.8	46.2	49.5	30.9	—	—	—	16.2	1.5	0.9	50.5	5.9	41.4	3.2	3,010	447	
	46	100	57.0	43.0	52.4	30.7	—	—	—	19.7	1.1	0.9	47.6	4.7	38.5	4.4	6,774	480	
	47	100	54.0	46.0	44.6	29.6	—	—	—	14.3	1.7	2.0	55.4	6.2	45.3	3.9	744	520	
	48	100	37.6	72.4	14.9	7.0	—	—	—	3.4	1.4	3.1	85.1	0.7	83.6	0.8	868	2,300	
	49	100	37.4	62.6	15.0	10.9	—	—	—	3.2	0.5	0.4	85.0	0.2	84.1	0.9	1,488	1,098	
	50	100	53.9	46.1	57.9	31.5	—	—	—	22.6	1.4	2.4	42.1	0.2	39.6	2.3	16,771	707	
	51	100	74.2	25.8	32.5	23.1	—	—	—	6.7	2.0	0.7	67.5	4.7	60.7	2.1	1,958	451	
	52	100	71.2	28.8	18.5	12.4	—	—	—	4.5	1.0	0.6	81.5	13.8	63.6	4.1	2,650	537	
	53	100	75.8	24.2	14.9	12.0	—	—	—	0.3	1.9	0.7	85.1	8.3	73.8	3.0	76	363	
	54	100	70.0	30.0	36.6	22.5	—	—	—	12.6	1.0	0.5	63.4	10.2	51.0	2.2	1,357	595	
	55	100	69.2	30.8	76.3	43.6	—	—	—	27.9	2.8	1.7	23.7	—	21.6	2.1	2,720	358	
	56	100	53.2	46.8	19.3	10.5	—	—	—	8.1	0.2	0.5	80.7	2.0	76.6	2.1	1,985	1,323	
	57	100	8.0	92.0	5.2	1.8	—	—	—	2.0	0.3	1.1	94.8	—	92.9	1.9	130	5,479	
	Saskatchewan....	58	100	53.0	47.0	19.8	7.8	—	—	—	8.3	1.8	1.9	80.2	0.8	79.3	0.1	632	165
		59	100	41.5	58.5	23.2	13.2	—	—	—	6.9	0.5	0.2	76.8	1.5	75.1	0.2	780	104
		60	100	39.8	60.2	10.6	5.3	—	—	—	4.2	0.2	0.5	89.2	—	85.8	0.4	1,633	2,022
		61	100	49.5	50.5	55.7	24.3	—	—	—	26.7	0.6	3.4	45.0	—	44.1	0.9	1,795	524
		62	100	55.2	44.8	68.7	27.3	—	—	—	27.9	1.4	2.1	31.3	0.2	29.3	1.8	45,025	547
		63	100	62.6	37.4	60.8	30.7	—	—	—	23.0	1.6	1.2	39.2	5.4	39.5	3.3	14,516	384
		64	100	71.2	28.8	51.5	30.7	—	—	—	19.5	0.8	0.5	48.5	13.0	28.0	7.5	1,387	423
		65	100	63.0	37.0	25.5	17.0	—	—	—	7.1	0.6	0.8	74.5	20.5	49.3	4.7	3,114	308
		66	100	66.7	33.3	38.8	23.0	—	—	—	14.1	0.8	0.9	61.2	9.5	45.1	6.6	5,291	320
		67	100	71.3	28.7	41.0	24.4	—	—	—	14.0	1.3	1.3	59.0	10.7	44.1	4.2	1,856	304
		68	100	80.2	19.8	28.4	23.0	—	—	—	3.6	0.9	0.9	71.6	26.2	41.4	4.0	1,816	201
69		100	73.3	26.7	61.9	39.2	—	—	—	19.9	1.6	1.2	38.1	9.0	25.1	4.0	11,905	294	
70		100	87.6	12.4	25.5	19.0	—	—	—	4.7	0.8	1.7	74.5	22.7	43.7	8.1	753	201	
71		100	78.2	21.8	35.4	23.3	—	—	—	13.7	1.4	1.4	64.6	32.0	32.0	8.2	5,268	232	
72		100	73.1	26.9	38.4	23.3	—	—	—	13.1	0.7	1.5	61.6	23.5	44.7	7.5	815	312	
73		100	65.4	34.6	60.1	33.2	—	—	—	24.7	1.1	1.2	39.0	6.2	28.2	5.5	21,668	365	
74		100	62.2	37.8	42.0	24.2	—	—	—	15.9	0.8	1.1	58.0	13.3	27.4	7.6	11,457	340	
75		100	63.5	36.5	47.7	27.1	—	—	—	18.6	0.9	1.1	32.3	8.6	36.1	7.6	4,355	335	
76		100	54.0	46.0	68.5	31.7	—	—	—	29.3	1.5	0.9	51.5	2.1	25.4	4.0	4,051	442	
77		100	51.2	48.8	53.4	32.7	—	—	—	19.1	1.7	2.0	41.6	2.9	35.1	3.0	3,803	485	
78		100	56.4	43.6	52.1	31.1	—	—	—	19.1	0.8	1.1	47.9	1.5	43.3	3.1	683	505	

Province	Year	100	51.0	49.0	68.4	42.4	22.0	2.1	1.9	81.6	1.0	37.6	3.1	475
Manitoba	79	100	51.0	49.0	68.4	42.4	22.0	2.1	1.9	81.6	1.0	37.6	3.1	8,315
	80	100	60.4	39.6	61.0	37.3	20.7	1.7	1.3	39.0	6.0	28.7	4.3	11,222
	81	100	64.0	36.0	44.7	44.7	16.7	1.0	1.0	58.3	10.1	38.7	4.3	3,712
	82	100	75.0	25.0	33.0	35.8	13.9	2.5	1.4	40.7	11.0	37.2	8.0	1,878
	83	100	80.3	19.7	38.3	32.9	10.0	3.3	2.4	47.7	18.3	26.4	8.0	2,728
	84	100	74.8	25.2	37.2	37.2	19.5	2.6	1.5	39.2	13.2	21.0	5.0	2,449
	85	100	74.1	25.9	36.4	33.4	15.3	5.1	2.6	43.0	8.5	21.0	2.0	2,287
	86	100	68.3	31.7	44.3	33.4	15.3	5.1	2.6	43.0	8.5	21.0	2.0	2,021
	87	100	72.0	28.0	38.8	44.3	20.1	2.0	1.6	58.2	6.5	20.5	1.5	583
	88	100	92.3	7.7	28.9	21.8	5.1	1.0	1.4	86.2	35.0	51.3	9.0	2,521
	89	100	92.3	7.7	28.9	21.8	5.1	1.0	1.4	86.2	35.0	51.3	9.0	619
	90	100	80.6	19.4	58.6	40.9	3.9	0.8	1.8	70.2	21.4	42.6	2.9	1,081
	91	100	72.8	27.2	50.5	50.6	14.3	3.9	1.8	70.2	21.4	42.6	2.9	2,910
	92	100	81.0	19.0	38.2	59.1	18.4	4.1	1.6	16.8	3.3	11.7	0.8	1,868
	93	100	85.5	14.5	38.9	28.2	4.8	3.6	2.0	61.1	8.6	48.2	0.9	7,067
	94	100	82.2	17.8	19.8	14.4	1.1	2.7	1.6	80.2	42.8	30.4	7.0	3,611
95	100	80.2	13.8	69.2	50.6	11.6	4.6	2.3	30.8	7.8	20.5	2.5	3,020	
96	100	99.4	9.6	52.5	40.7	6.5	3.2	2.0	47.5	9.0	29.3	8.7	2,285	
Ontario	97	100	96.2	3.8	18.5	14.8	0.4	2.1	1.2	81.5	53.8	8.2	10.5	89
	98	100	84.0	16.0	25.3	22.5	0.4	1.6	0.8	74.7	37.8	22.7	14.4	79
	99	100	87.6	12.4	26.7	21.7	0.6	3.1	1.3	73.3	30.4	21.4	10.2	1,506
	100	100	93.3	6.7	27.3	21.5	0.6	3.6	1.5	72.7	37.0	23.4	14.3	1,620
	101	100	91.1	8.9	37.8	21.5	0.6	7.7	1.3	62.2	34.7	10.9	16.8	1,266
	102	100	89.3	10.7	23.3	28.2	0.4	2.6	0.6	76.7	31.3	38.8	6.6	1,151
	103	100	92.9	7.1	24.5	13.8	0.5	9.0	1.2	75.5	32.1	41.8	1.6	438
	104	100	92.6	7.4	30.2	22.7	0.3	6.0	1.2	69.8	19.7	44.9	5.2	1,668
	105	100	88.2	11.8	41.1	33.8	0.3	5.2	1.3	58.9	19.8	30.9	9.2	1,395
	106	100	93.3	6.7	26.1	18.5	0.3	5.7	1.9	73.9	31.5	14.8	27.0	1,545
	107	100	96.3	4.2	26.5	18.7	0.2	4.7	1.2	73.5	45.1	15.2	11.7	6,584
	108	100	93.1	6.9	21.0	14.8	0.2	11.4	2.2	79.0	44.2	23.1	11.7	3,280
	109	100	86.3	13.6	58.6	41.0	0.6	2.0	2.5	41.4	17.9	20.1	3.4	3,101
	110	100	83.3	16.7	69.9	44.0	0.1	21.2	3.5	30.1	11.7	15.5	2.9	4,692
	111	100	82.3	17.7	90.3	44.0	0.1	10.3	3.5	9.7	4.0	3.9	1.8	7,692
	112	100	77.1	23.9	89.2	66.7	0.3	9.7	4.5	10.8	5.8	3.8	1.2	1,657
113	100	70.1	29.9	80.9	72.5	0.1	18.1	3.1	19.4	7.7	10.6	1.1	3,254	
114	100	61.4	38.6	80.9	80.6	0.3	23.4	3.3	19.1	6.7	11.4	1.0	5,234	
115	100	77.9	22.1	83.4	58.2	0.1	20.7	3.0	16.6	6.2	9.2	1.2	1,601	
116	100	77.5	22.5	82.4	58.3	0.1	20.4	5.5	33.1	14.5	10.8	7.8	4,311	
117	100	82.5	17.5	81.2	57.6	0.2	18.3	4.0	15.8	9.6	3.9	2.3	3,589	
118	100	86.1	13.9	83.5	40.0	1.3	3.3	4.6	14.5	7.6	4.8	2.1	4,909	
119	100	81.3	18.7	81.9	56.9	0.1	3.0	4.5	18.4	7.6	9.1	1.7	9,980	
120	100	85.6	14.4	78.8	55.8	0.1	3.0	10.8	3.0	21.2	9.5	2.1	12,422	
121	100	81.3	18.7	62.7	42.7	0.3	14.8	2.6	37.3	14.6	19.8	2.9	6,974	
122	100	83.4	16.6	44.9	35.1	0.5	7.3	1.8	55.1	15.4	30.9	8.8	6,020	
123	100	76.6	23.4	67.5	31.0	0.1	15.2	3.4	32.5	11.8	16.2	4.5	2,775	
124	100	80.1	19.9	40.4	34.6	0.3	10.1	1.4	52.6	17.1	28.6	7.9	3,395	
125	100	90.3	9.7	47.4	34.4	0.3	11.1	1.6	52.6	19.4	25.8	7.4	4,619	
126	100	86.1	13.9	64.5	44.1	0.1	3.3	2.2	35.5	12.1	18.8	4.6	14,331	
127	100	80.7	19.3	68.0	47.9	0.1	3.0	2.0	32.0	10.1	18.6	3.3	3,157	
128	100	97.4	2.6	33.8	27.1	0.3	5.0	1.7	66.2	15.8	44.0	6.4	1,384	
Quebec	129	100	95.7	4.3	29.1	21.3	1.4	6.4	1.4	37.8	25.9	7.2	2,698	
	130	100	96.5	3.5	31.9	25.0	1.5	5.4	1.5	68.1	37.8	14.0	2,459	
	131	100	95.5	4.5	35.9	25.2	2.3	8.4	2.3	64.1	33.2	18.2	1,451	
	132	100	95.2	4.8	35.9	25.2	2.3	8.4	2.3	64.1	33.2	18.2	1,451	

New Brunswick ...	174	100	92.8	7.2	29.2	20.5	-	-	0.4	6.8	1.5	70.8	46.3	18.0	6.5	1,457	106
	175	100	92.2	7.8	35.4	25.4	-	-	0.2	8.0	1.8	64.6	51.4	8.2	5.0	1,545	131
	176	100	93.4	6.6	49.6	37.8	-	-	0.4	8.9	2.5	50.4	28.5	19.3	2.6	1,107	134
	177	100	93.3	6.7	48.6	37.6	-	-	0.4	8.9	2.5	51.4	42.6	5.8	8.0	2,196	133
	178	100	95.9	4.1	24.2	17.9	0.1	-	0.1	4.9	1.2	75.8	67.0	6.2	2.6	5,105	171
	179	100	97.3	2.7	24.9	17.7	-	-	0.2	5.0	2.0	79.6	62.2	6.0	6.8	9,083	80
	180	100	94.8	5.2	20.4	13.8	0.4	-	0.1	4.6	1.1	79.6	64.4	10.6	4.6	1,033	138
	181	100	94.8	5.2	34.8	20.1	-	-	-	13.1	2.6	63.2	46.0	15.5	3.7	1,332	161
	182	100	94.3	5.7	26.8	15.9	-	-	0.3	8.0	2.6	73.2	60.0	10.3	2.0	2,277	181
	183	100	94.4	5.6	36.8	23.6	-	-	0.3	11.0	1.8	63.2	47.4	13.7	2.1	2,836	133
	184	100	97.4	2.6	38.9	25.2	-	-	0.2	11.5	2.0	61.1	50.1	8.4	2.6	3,434	106
Nova Scotia	185	100	95.6	4.4	25.2	17.4	-	-	0.1	6.2	1.3	74.8	55.4	16.5	2.0	5,591	148
	186	100	97.2	2.8	17.3	12.7	0.1	-	0.1	1.2	1.5	82.7	53.0	23.9	5.8	3,593	104
	187	100	96.4	3.6	16.9	11.6	0.3	-	0.1	3.1	1.7	83.1	48.0	26.6	0.5	4,860	73
	188	100	96.7	3.3	9.2	7.2	-	-	-	0.9	1.0	90.8	66.4	18.0	2.3	3,442	138
	189	100	95.8	4.2	22.9	16.3	-	-	0.1	5.7	0.8	77.1	59.6	15.2	6.8	1,082	182
	190	100	98.1	1.9	10.6	7.4	-	-	-	2.2	1.0	89.4	6.8	11.2	3.8	4,155	103
	191	100	95.4	4.6	18.4	11.3	0.1	-	0.3	4.0	2.7	81.6	55.5	14.7	1.4	1,821	87
	192	100	95.0	4.1	17.1	12.2	-	-	0.1	3.1	1.7	82.9	59.6	17.7	5.6	2,830	113
	193	100	98.5	1.5	24.1	15.4	-	-	0.1	6.1	2.5	75.9	38.5	30.2	7.2	3,808	139
	194	100	96.1	3.9	35.7	19.3	0.1	-	0.2	13.7	2.3	64.3	45.8	16.8	2.7	2,410	118
Prince Edward Island.....	195	100	95.0	5.0	45.5	27.3	-	-	0.1	13.1	5.0	54.5	44.7	0.1	3.7	965	103
	196	100	95.9	4.1	63.5	39.7	-	-	0.4	21.4	2.0	36.5	26.0	7.7	2.8	7,564	94
	197	100	96.4	3.6	74.7	48.3	-	-	0.4	24.3	1.7	25.3	20.0	3.9	1.4	1,385	100
	198	100	93.4	6.6	59.4	41.1	-	-	0.2	16.0	2.1	40.6	28.5	7.5	4.6	1,851	101

TABLE 5—UNEMPLOYMENT DISTRIBUTION OF LIVES OF VARIOUS ACCORDING TO LIVES OF VARIOUS YEARS IN

APPENDIX—Continued

195	100	95.0	5.0	45.5	27.3	-	-	-	0.1	13.1	5.0	54.5	44.7	0.1	3.7	965	103
196	100	95.9	4.1	63.5	39.7	-	-	-	0.4	21.4	2.0	36.5	26.0	7.7	2.8	7,564	94
197	100	96.4	3.6	74.7	48.3	-	-	-	0.4	24.3	1.7	25.3	20.0	3.9	1.4	1,385	100
198	100	93.4	6.6	59.4	41.1	-	-	-	0.2	16.0	2.1	40.6	28.5	7.5	4.6	1,851	101

34	40.9	0.2	0.1	0.3	0.2	6.9	0.1	13.7	16.4	8.9	4.2	2.6	0.5	2.9	2.1
35	15.8	-	-	0.3	-	15.4	0.3	19.4	23.6	12.5	2.9	2.0	1.3	2.6	3.9
36	15.3	0.2	0.2	0.9	-	41.8	0.2	13.5	11.2	6.7	1.7	2.8	1.1	3.5	0.9
37	10.4	-	-	-	0.2	18.3	0.4	21.1	28.1	9.5	4.6	4.0	0.5	4.0	0.5
38	29.2	-	-	0.5	0.1	11.7	-	13.2	23.3	3.8	7.2	5.4	0.9	2.4	2.7
39	21.4	-	-	0.5	-	17.7	0.1	11.2	23.2	5.6	7.1	6.0	1.3	3.5	3.0
40	46.5	-	-	0.3	-	11.5	-	3.1	10.5	1.9	9.9	10.1	0.8	2.9	2.5
41	33.7	0.3	0.6	2.2	0.6	15.2	0.1	5.1	10.1	2.8	9.1	11.0	3.3	3.0	2.9
42	18.4	-	-	0.9	0.2	20.2	0.3	10.0	19.2	5.1	6.8	7.0	3.4	4.0	3.5
43	9.1	0.1	0.1	1.5	0.4	12.7	0.7	26.6	23.3	15.5	1.1	2.3	1.8	3.4	2.4
44	29.0	-	-	1.4	0.2	26.2	0.1	2.7	7.4	2.6	7.7	12.0	4.5	2.7	3.4
45	44.0	-	-	1.2	0.1	11.7	-	1.9	7.9	2.0	7.4	14.3	1.9	3.4	4.1
46	69.3	-	-	0.5	0.1	4.3	-	1.6	5.3	1.7	3.9	6.5	0.9	2.7	3.2
47	61.5	-	-	0.9	0.1	7.2	-	2.3	10.0	2.3	4.8	5.8	1.3	2.6	2.8
48	62.7	-	-	0.2	0.2	14.1	-	2.2	2.6	2.1	3.8	2.5	0.3	0.9	6.5
49	55.5	0.1	0.8	0.3	0.3	17.0	0.6	1.4	1.5	1.4	1.9	2.1	0.7	1.5	4.5
50	80.9	0.2	0.1	0.6	0.2	3.5	-	7.4	6.4	5.2	1.8	4.8	4.2	4.3	6.1
51	21.9	0.2	2.7	11.7	1.4	21.9	-	9.9	12.9	7.4	3.9	6.0	3.6	3.5	7.3
52	15.1	-	0.1	1.0	0.1	28.8	0.4	14.5	13.2	3.9	-	1.3	-	1.3	10.5
53	5.3	-	0.1	14.5	1.3	31.6	2.6	4.3	7.6	3.2	4.4	6.6	1.8	3.0	4.2
54	40.7	0.4	0.2	0.7	0.4	22.7	0.4	3.9	3.8	3.0	5.3	2.3	0.5	2.5	2.7
55	42.1	24.0	1.0	1.2	0.1	6.0	0.3	1.5	2.2	2.0	3.6	2.3	0.4	1.6	7.6
56	66.0	0.1	1.0	1.1	0.2	10.3	0.1	3.8	2.2	-	0.8	1.5	0.8	-	14.6
57	50.0	-	-	-	-	24.7	-	3.8	3.8	-	0.8	-	-	-	-
58	69.5	-	-	0.2	0.3	12.3	-	2.7	2.1	2.1	2.1	0.2	0.3	0.9	7.3
59	60.8	-	-	0.1	-	12.6	-	3.0	3.0	1.9	2.2	3.2	0.3	1.4	10.9
60	57.7	-	-	-	-	14.7	-	6.1	4.9	3.1	2.5	0.6	-	1.2	9.2
61	69.7	-	0.1	0.8	-	2.8	-	2.8	8.8	1.7	2.5	3.3	0.5	2.5	4.5
62	87.1	-	0.1	0.3	0.1	1.3	-	1.4	2.1	0.8	0.9	1.0	0.1	0.7	4.1
63	64.6	0.1	0.2	1.2	0.1	2.4	0.1	4.6	11.4	1.8	3.2	4.1	0.6	2.1	3.5
64	71.3	-	-	0.4	0.1	5.3	-	1.4	6.8	1.5	3.5	5.9	0.6	1.6	1.6
65	25.2	-	-	0.6	-	10.1	0.2	21.4	21.0	5.9	3.7	4.7	1.0	3.3	2.9
66	43.8	-	0.1	0.4	-	4.0	0.1	10.5	20.8	3.4	3.6	5.7	1.2	3.2	3.2
67	34.3	-	-	2.2	0.5	7.8	0.4	11.5	17.9	4.5	4.0	6.7	1.5	4.4	4.0
68	43.1	0.1	0.2	0.2	0.1	2.8	1.7	11.5	19.0	9.8	1.2	2.8	0.2	4.0	3.6
69	67.6	-	-	0.3	0.1	3.2	0.3	3.9	8.2	2.1	4.1	4.9	0.5	2.1	2.7
70	13.1	-	-	0.9	0.1	7.6	3.3	23.3	28.8	11.8	0.9	3.7	0.4	4.8	1.3
71	24.9	-	-	0.5	0.1	6.0	2.1	14.1	29.6	5.9	2.5	5.5	1.5	4.3	3.0
72	31.2	-	-	0.2	0.1	9.7	-	4.4	26.4	3.3	4.2	9.8	3.8	4.7	2.2
73	58.9	-	0.1	0.6	0.1	2.7	0.2	4.9	17.0	1.4	2.9	5.0	1.0	1.7	3.6
74	32.9	-	-	0.6	0.1	5.1	-	8.4	31.6	1.6	4.3	7.5	1.0	2.3	4.6
75	38.5	-	-	1.4	0.2	4.5	0.1	4.8	22.0	1.3	7.1	9.2	3.4	3.0	4.5
76	61.8	0.1	0.1	2.3	0.3	3.9	0.1	5.3	12.8	1.2	2.0	3.0	0.7	1.0	5.4
77	65.8	-	0.1	0.5	0.1	2.7	0.1	3.4	9.9	1.5	2.6	5.6	1.5	1.5	5.5
78	58.4	-	0.1	-	-	5.7	0.1	3.1	8.5	0.4	6.6	11.3	0.1	1.9	3.8

Saskatchewan,....

APPENDIX—Continued

TABLE 2.—PERCENTAGE DISTRIBUTION OF TYPES OF FARMS ACCORDING TO TYPE-OF-FARMING AREAS, 1941

PROVINCE	Area No.	Grain and hay farms	Potatoes, tobacco and other crops	Vegetables, fruits and nursery products	Dairy products	Poultry	Animal specialty	Other products	Self-sufficing	Self-sufficing combination	Part time	Grain combination	Animal combination	Dairy combination	Other combination	Unspecified and not reporting	
Manitoba.....	79	75.5	-	-	0.5	-	2.8	-	1.3	4.1	0.4	2.7	6.2	1.6	1.1	3.8	
	80	56.2	-	0.1	1.0	0.1	4.7	0.4	1.8	10.9	0.9	5.7	11.6	2.6	2.3	1.7	
	81	37.2	0.1	0.1	0.6	0.1	5.5	-	7.3	24.9	1.6	4.8	8.1	3.4	3.2	3.1	
	82	27.9	-	0.2	0.6	0.3	14.5	0.5	5.6	19.1	3.7	6.8	10.7	4.0	4.5	1.8	
	83	15.3	-	0.2	2.0	0.4	16.1	0.2	11.4	29.6	4.5	2.3	5.9	6.6	2.9	2.6	
	84	44.9	-	0.2	0.4	0.5	4.5	0.2	4.0	21.8	3.0	3.0	2.9	10.4	4.2	2.0	
	85	33.8	-	0.2	0.8	0.7	10.8	0.7	4.6	16.0	3.2	2.9	11.9	5.6	4.2	3.5	
	86	52.0	0.4	0.1	0.2	1.0	5.0	0.9	4.6	10.1	3.1	3.1	4.2	2.9	3.3	2.3	
	87	3.0	-	0.1	8.0	0.5	17.9	0.5	10.8	3.1	0.8	0.8	2.2	2.1	4.1	3.1	
	88	22.9	-	0.6	0.6	2.9	6.0	7.1	11.3	30.7	4.7	2.1	7.1	6.5	2.1	2.9	
	89	12.3	-	0.6	0.6	2.9	7.1	1.0	15.0	33.0	8.2	2.0	4.3	6.2	5.2	2.2	
	90	21.5	0.9	0.5	0.5	7.4	1.4	10.9	0.2	11.8	4.8	3.6	3.9	7.1	3.7	2.0	
	91	39.9	0.6	0.6	1.2	2.0	1.5	10.5	0.2	2.9	3.7	2.6	5.1	10.8	2.9	1.6	
	92	59.6	2.0	0.6	0.2	1.1	0.5	2.7	0.1	2.3	9.7	1.5	1.7	9.4	3.0	1.0	
	93	6.1	-	4.7	4.7	10.5	2.9	8.4	0.8	8.9	22.3	4.8	1.7	3.0	5.8	2.9	
	94	3.5	-	0.2	0.2	4.5	0.5	3.6	19.6	25.1	27.1	8.6	5.2	2.7	4.4	2.0	
	95	38.3	0.4	-	0.2	1.1	0.4	2.1	1.6	18.4	19.4	4.6	4.6	4.3	5.3	2.3	
	96	27.2	-	-	-	1.1	0.4	2.1	1.6	18.4	27.1	6.7	4.6	2.7	2.2	3.9	1.6
	Ontario.....	97	5.8	1.9	1.9	9.0	9.0	-	15.4	19.8	12.8	14.1	-	-	2.6	5.1	2.6
		98	1.9	-	1.9	1.9	0.6	2.5	12.1	19.1	25.6	14.0	8.3	2.4	1.9	12.1	-
		99	6.7	0.1	0.3	3.6	0.5	7.1	7.0	16.7	24.7	15.5	0.1	0.1	3.8	8.1	3.4
		100	3.3	0.7	1.6	13.5	4.4	2.4	4.8	20.0	18.8	15.4	0.1	0.8	2.8	7.8	3.6
101		3.5	0.1	1.7	10.9	2.3	5.9	1.1	18.2	29.8	8.1	0.1	3.2	6.6	5.3	3.2	
102		1.3	-	0.1	2.4	0.5	19.8	2.2	11.0	33.0	3.8	0.1	4.4	12.9	3.2	5.3	
103		1.4	0.2	0.1	0.7	0.2	2.1	18.3	20.1	15.4	32.0	0.2	1.6	0.7	6.6	0.5	
104		7.0	1.1	0.6	6.3	1.5	3.4	3.7	28.5	18.3	18.3	0.2	1.0	2.5	5.6	4.0	
105		7.4	0.6	0.6	13.3	2.2	7.2	0.7	17.8	17.8	10.6	0.1	2.6	5.2	3.7	5.6	
106		1.7	1.9	0.6	11.3	1.9	3.0	1.9	26.0	27.7	9.9	0.1	0.8	3.9	3.7	2.4	
107		1.6	0.1	0.1	4.1	0.4	0.4	3.9	5.2	39.2	7.2	-	-	2.1	5.3	3.7	
108		0.9	-	0.3	3.1	0.5	5.9	5.3	21.3	38.1	7.5	-	-	4.0	4.8	3.3	
109		2.5	0.1	3.8	5.5	1.1	28.7	1.5	7.7	14.0	3.3	0.5	6.9	14.6	6.0	5.6	
110		2.7	0.7	0.7	2.8	1.6	42.1	0.9	4.1	9.8	2.0	0.4	10.1	11.3	11.3	3.4	7.6

111	23.8	7.1	5.7	2.4	1.4	7.4	0.1	3.6	4.1	2.1	8.7	15.7	7.7	8.1	2.1
112	3.3	19.0	21.3	3.8	1.4	10.7	0.1	2.8	4.5	3.1	1.8	7.3	8.7	8.7	3.6
113	10.0	8.6	1.4	0.8	1.9	22.2	0.3	2.8	6.8	2.7	4.6	7.3	8.7	8.7	3.6
114	2.8	1.2	3.3	24.8	2.4	19.8	0.4	3.8	3.7	3.0	0.2	23.5	6.7	6.7	2.8
115	2.8	40.0	1.9	60.3	1.9	6.6	0.5	4.1	1.7	2.4	0.2	4.4	3.1	3.1	4.9
116	5.6	0.5	2.3	14.4	0.8	3.6	0.6	8.7	6.5	3.8	0.2	1.9	7.5	2.5	4.5
117	2.1	2.8	1.3	8.2	3.7	15.6	0.6	4.1	8.0	3.9	0.8	12.7	23.4	7.8	3.4
118	3.0	0.5	55.3	5.8	2.3	3.8	0.2	7.1	3.9	5.9	0.6	2.3	3.7	5.0	3.4
119	3.0	2.8	6.4	24.3	3.9	12.8	0.3	7.1	6.4	4.1	0.8	4.2	14.8	4.4	4.7
120	2.1	0.5	2.8	12.3	2.2	32.0	0.6	5.0	6.5	2.6	0.6	5.6	19.2	3.0	5.0
121	-	0.4	3.5	11.2	2.8	23.1	0.6	6.8	11.6	3.6	0.4	7.0	17.3	5.3	4.3
122	2.1	0.1	1.1	18.5	0.9	9.2	1.1	6.9	11.6	2.7	0.2	1.5	30.9	4.0	4.0
123	1.3	0.2	1.3	7.2	1.4	6.2	0.6	4.5	12.2	3.5	0.4	3.5	31.4	3.5	3.5
124	1.3	0.1	1.0	47.8	1.2	3.0	1.1	4.4	7.9	2.8	0.4	0.5	19.9	4.0	5.0
125	3.7	0.3	0.3	5.9	0.8	15.4	1.1	5.3	20.5	1.7	0.4	10.5	21.7	4.6	5.7
126	2.4	1.0	2.4	29.4	1.0	5.9	0.6	5.7	13.1	2.0	0.1	1.6	26.1	3.0	7.8
127	1.1	-	0.7	53.8	2.2	2.9	0.3	4.3	5.1	1.8	-	1.0	26.1	3.2	3.2
128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129	12.6	0.3	0.5	8.6	0.2	1.4	1.0	17.7	21.2	18.3	-	0.8	4.5	6.0	6.9
130	5.1	0.3	-	4.6	0.4	1.1	8.0	19.3	21.9	22.3	-	0.3	3.0	7.4	6.3
131	3.1	0.3	-	6.4	0.4	1.2	7.6	14.7	16.2	16.7	-	1.3	14.9	5.5	2.2
132	2.8	0.2	0.1	5.4	0.2	3.0	1.6	24.2	29.8	12.8	-	1.1	17.8	7.6	3.0
133	1.0	0.2	0.4	4.1	0.4	1.4	2.8	22.0	37.7	10.3	-	4.4	6.9	5.0	2.0
134	3.8	0.3	0.3	3.1	0.5	7.9	1.9	11.4	33.6	3.1	-	2.2	21.5	5.0	3.0
135	2.2	0.2	1.6	18.5	0.8	3.2	2.8	13.0	30.7	2.6	0.2	2.9	17.7	3.4	3.2
136	1.6	0.7	1.8	40.0	1.5	1.8	1.6	6.6	17.3	5.9	-	1.5	8.0	8.7	3.8
137	1.7	0.4	0.3	5.7	0.8	3.1	1.2	5.8	13.8	2.0	0.2	8.9	15.0	4.3	2.6
138	9.6	10.7	2.3	16.8	0.8	4.7	0.8	7.3	19.0	3.6	3.1	2.3	27.9	6.7	3.6
139	2.4	0.7	2.3	36.4	0.8	5.8	1.1	5.5	6.5	2.4	0.2	0.7	12.4	7.0	2.9
140	2.9	0.2	2.0	36.4	0.8	4.7	1.2	6.0	11.1	2.6	0.3	1.6	28.5	3.4	5.6
141	3.4	0.2	1.3	10.4	0.8	4.4	0.9	6.0	8.9	2.6	0.4	5.0	19.9	4.2	3.6
142	1.5	2.1	2.0	14.3	1.1	2.4	1.0	6.4	13.7	2.6	1.8	4.1	28.5	10.6	3.7
143	5.9	5.0	12.9	14.0	1.3	2.3	0.9	6.7	17.2	2.4	0.5	5.2	15.4	8.9	3.7
144	3.0	16.1	0.6	6.5	1.1	2.3	6.0	7.9	26.1	2.6	0.2	2.6	24.7	6.9	5.1
145	0.3	2.2	0.2	8.0	1.7	1.4	18.0	10.8	20.7	11.8	-	0.9	20.7	9.0	10.4
146	1.8	-	-	3.6	2.5	-	1.9	9.1	21.7	3.5	-	2.4	25.4	9.0	2.7
147	5.8	1.2	0.6	10.8	0.2	2.9	5.3	9.1	18.5	1.6	0.3	0.3	25.4	5.9	8.3
148	3.6	0.3	1.2	38.2	0.6	2.3	2.2	10.9	20.8	2.7	0.3	0.6	17.7	2.2	7.6
149	1.8	0.6	0.1	29.3	0.6	2.4	2.2	10.9	13.1	4.4	-	2.9	16.4	5.0	6.6
150	4.0	0.4	0.7	14.6	0.7	7.3	2.3	4.8	13.1	1.4	-	1.3	38.0	4.7	5.7
151	2.1	0.4	0.5	15.2	0.6	4.5	2.3	7.7	23.2	4.6	-	2.9	25.9	5.9	5.8
152	1.4	0.4	0.6	37.3	1.0	5.1	1.7	9.3	11.2	3.5	0.1	0.9	16.7	3.6	7.2
153	2.2	-	0.1	6.3	0.4	5.5	7.5	8.3	29.8	4.0	-	3.6	20.5	4.6	5.4
154	1.7	-	-	2.2	0.2	1.1	13.5	17.0	37.3	10.0	-	1.2	5.0	5.6	5.4
155	1.3	-	-	3.2	0.2	1.3	2.6	14.2	40.0	9.6	-	0.7	8.0	5.1	13.8
156	1.0	0.1	0.1	3.5	0.4	3.0	5.9	8.8	40.3	3.9	-	4.9	13.9	5.0	7.9
157	1.0	0.2	-	2.0	0.2	3.0	7.6	10.3	35.9	7.2	-	5.4	8.9	4.7	7.6

Quebec.....

LYBRIE

APPENDIX—Continued
TABLE 2.—PERCENTAGE DISTRIBUTION OF TYPES OF FARMS ACCORDING TO TYPE-OF-FARMING AREAS, 1941

PROVINCE	Area No.	Grain and hay farms	Potatoes, roots, tobacco and other crops	Vegetables, fruits and nursery products	Dairy products	Poultry	Animal specialty	Other products	Self-sufficing	Self-sufficing combination	Part time	Grain combination	Animal combination	Dairy combination	Other combination	Unspecified and not reporting	
Quebec— <i>Contc.</i>	158	0.8	0.3	—	4.7	1.5	7.8	3.4	5.5	28.0	3.4	—	5.3	29.3	4.4	5.6	
	159	2.9	0.4	1.2	30.3	1.2	2.9	1.3	10.8	20.3	3.5	0.3	1.2	12.6	4.4	4.2	
	160	1.7	0.9	7.3	4.3	2.4	1.4	1.4	3.1	33.4	3.4	0.9	2.2	7.6	17.9	6.9	
	161	0.9	0.3	0.6	15.7	0.6	6.1	1.0	4.9	26.1	2.7	—	1.5	31.0	4.6	4.7	
	162	2.5	—	0.5	21.8	—	1.4	1.3	8.4	36.4	3.3	—	0.1	14.4	4.7	5.5	
	163	1.7	—	0.1	10.0	0.7	1.7	4.0	7.9	36.4	3.7	0.1	1.3	21.8	7.0	2.2	
	164	0.5	1.0	0.7	28.5	1.0	4.3	0.7	14.8	27.1	2.6	—	1.0	11.4	5.7	0.7	
	165	0.6	0.7	0.3	2.2	0.6	2.2	11.6	21.3	37.2	8.4	—	—	3.5	6.0	4.1	
	166	0.9	0.3	0.4	16.2	0.4	2.0	0.9	10.2	31.6	7.1	—	0.6	22.4	4.7	2.3	
	167	1.1	0.5	0.1	2.2	0.4	0.8	4.6	24.2	36.9	17.4	—	—	3.7	5.8	1.9	
	168	1.0	—	—	1.0	0.3	0.7	3.9	28.2	38.3	16.1	—	—	3.3	4.6	2.3	
	169	—	—	—	—	—	—	19.6	14.7	39.0	2.4	—	—	2.4	9.8	2.4	
	170	1.6	0.7	0.3	4.8	0.3	2.9	1.5	12.6	37.9	4.3	—	2.0	16.1	4.8	10.2	
	171	1.0	0.3	—	1.3	0.1	0.4	3.9	17.5	18.8	38.6	—	0.1	5.2	6.7	6.1	
	172	1.3	0.1	0.1	—	—	—	7.7	40.7	17.3	24.6	—	0.4	0.2	3.3	3.0	
	173	1.6	0.1	0.1	0.6	0.6	0.1	4.1	37.3	30.2	17.8	—	0.1	0.3	0.7	2.5	4.1
	New Brunswick...	174	4.3	1.5	0.1	2.7	0.3	1.4	4.4	29.1	21.7	24.2	0.1	0.7	1.9	5.7	1.9
175		2.2	0.1	0.1	1.3	0.1	0.7	14.8	29.3	32.1	11.7	0.2	0.7	0.5	4.5	1.7	
176		2.2	32.2	0.4	0.4	—	0.6	4.8	13.2	23.1	7.3	1.8	3.5	1.7	6.8	2.4	
177		3.9	12.5	0.1	0.9	0.4	1.3	5.1	10.8	32.8	4.9	3.1	6.2	3.4	13.1	1.5	
178		2.0	0.8	0.7	6.1	0.9	1.8	8.6	18.8	30.8	7.6	0.2	2.6	8.5	8.8	1.8	
179		2.3	0.3	0.1	0.9	0.2	0.8	6.8	34.3	23.8	22.6	—	0.6	0.8	3.9	2.6	
180		2.8	0.2	6.5	0.9	1.1	1.4	2.5	16.1	43.7	5.6	—	0.5	3.7	12.5	1.3	
181		4.2	0.9	1.0	21.3	2.0	3.8	2.0	14.5	23.3	7.2	—	0.2	0.7	4.8	2.0	
182		1.7	0.2	0.3	5.0	0.9	6.7	6.0	19.0	32.6	9.8	—	2.2	7.7	7.0	0.9	
183		2.1	0.2	1.0	11.5	1.0	3.2	4.2	22.4	24.8	8.1	—	2.0	12.0	5.8	1.6	
184		1.9	0.6	0.1	1.3	0.4	0.4	2.9	29.2	36.6	12.9	0.1	0.1	1.7	2.7	4.1	1.7
Nova Scotia.....	185	2.7	0.2	1.1	10.5	1.4	3.0	3.5	18.2	23.6	12.5	0.1	1.7	10.1	8.3	3.1	
	186	1.8	1.5	26.4	2.8	1.1	2.4	1.7	10.6	15.4	6.3	0.5	1.4	7.2	11.3	9.6	
	187	1.8	0.2	0.5	4.9	0.7	3.7	3.6	38.7	24.5	12.5	0.1	0.9	2.6	4.5	0.8	
	188	1.2	0.1	0.8	—	0.6	3.5	10.4	30.0	28.7	11.7	—	2.2	1.5	6.7	0.5	
	189	4.1	0.4	0.4	39.8	1.4	4.2	2.3	10.8	13.5	8.2	—	0.6	7.2	5.6	1.5	
	190	2.0	—	0.2	0.9	0.3	1.9	4.2	47.6	19.8	18.9	0.1	0.1	0.6	2.7	0.4	

Year	191	192	193	194	195	196	197	198									
1.5	3.1	1.8	3.7	0.8	1.0	17.8	2.3	1.2	0.7	41.9	15.6	11.4	0.1	0.5	1.8	2.5	0.9
0.1	0.1	0.1	0.2	0.4	0.2	0.8	1.0	0.8	1.0	1.9	1.0	1.5	1.9	1.9	0.6	0.6	1.7
0.2	0.1	0.1	0.2	0.4	0.2	2.4	1.4	2.4	1.4	1.8	1.4	6.7	1.9	1.8	2.4	2.4	1.5
0.4	0.2	0.2	0.4	0.4	0.4	16.1	1.0	2.1	2.2	2.2	21.1	30.7	2.2	0.7	8.7	7.0	2.5
11.5	2.9	2.3	3.3	11.5	0.2	0.7	0.3	0.3	0.1	0.1	16.7	38.3	7.5	9.5	2.1	5.8	2.0
4.8	4.8	18.1	4.1	4.8	0.2	1.5	0.4	0.4	0.4	0.4	12.4	33.4	6.4	10.6	6.6	7.4	3.7
1.4	1.4	18.1	4.1	1.9	0.1	1.9	0.7	5.1	0.4	0.4	4.6	28.3	2.2	17.5	8.5	7.1	3.7
3.3	3.3	4.1	4.1	0.3	0.1	0.3	0.7	2.5	0.3	0.3	17.6	43.9	7.1	6.6	1.8	8.2	2.8

Prince Edward Island

Year	191	192	193	194	195	196	197	198									
1.5	3.1	1.8	3.7	0.8	1.0	17.8	2.3	1.2	0.7	41.9	15.6	11.4	0.1	0.5	1.8	2.5	0.9
0.1	0.1	0.1	0.2	0.4	0.2	0.8	1.0	0.8	1.0	1.9	1.0	1.5	1.9	1.9	0.6	0.6	1.7
0.2	0.1	0.1	0.2	0.4	0.2	2.4	1.4	1.4	1.8	2.2	21.1	30.7	2.2	0.7	8.7	7.0	2.5
0.4	0.2	0.2	0.4	0.4	0.4	16.1	1.0	2.1	2.2	2.2	21.1	30.7	2.2	0.7	8.7	7.0	2.5
11.5	2.9	2.3	3.3	11.5	0.2	0.7	0.3	0.3	0.1	0.1	16.7	38.3	7.5	9.5	2.1	5.8	2.0
4.8	4.8	18.1	4.1	4.8	0.2	1.5	0.4	0.4	0.4	0.4	12.4	33.4	6.4	10.6	6.6	7.4	3.7
1.4	1.4	18.1	4.1	1.9	0.1	1.9	0.7	5.1	0.4	0.4	4.6	28.3	2.2	17.5	8.5	7.1	3.7
3.3	3.3	4.1	4.1	0.3	0.1	0.3	0.7	2.5	0.3	0.3	17.6	43.9	7.1	6.6	1.8	8.2	2.8

AGRICULTURE - PRINCE EDWARD ISLAND

1911-1918

1919-1928

1929-1938

1939-1948

1949-1958

1959-1968

1969-1978

1979-1988

1989-1998

1999-2008

2009-2018

2019-2028

2029-2038

2039-2048

2049-2058

2059-2068

2069-2078

2079-2088

2089-2098

2099-2108

2109-2118

2119-2128

2129-2138

2139-2148

2149-2158

2159-2168

2169-2178

2179-2188

2189-2198

2199-2208

2209-2218

2219-2228

2229-2238

2239-2248

2249-2258

2259-2268

2269-2278

2279-2288

2289-2298

2299-2308

2309-2318

2319-2328

2329-2338

2339-2348

2349-2358

2359-2368

2369-2378

2379-2388

2389-2398

2399-2408

2409-2418

2419-2428

2429-2438

2439-2448

2449-2458

2459-2468

2469-2478

2479-2488

2489-2498

2499-2508

2509-2518

2519-2528

2529-2538

2539-2548

2549-2558

2559-2568

2569-2578

2579-2588

2589-2598

2599-2608

2609-2618

2619-2628

2629-2638

2639-2648

2649-2658

2659-2668

2669-2678

2679-2688

2689-2698

2699-2708

2709-2718

2719-2728

2729-2738

2739-2748

2749-2758

2759-2768

2769-2778

2779-2788

2789-2798

2799-2808

2809-2818

2819-2828

2829-2838

2839-2848

2849-2858

2859-2868

2869-2878

2879-2888

2889-2898

2899-2908

2909-2918

2919-2928

2929-2938

2939-2948

2949-2958

2959-2968

2969-2978

2979-2988

2989-2998

2999-3008

3009-3018

3019-3028

3029-3038

3039-3048

3049-3058

3059-3068

3069-3078

3079-3088

3089-3098

3099-3108

3109-3118

3119-3128

3129-3138

3139-3148

3149-3158

3159-3168

3169-3178

3179-3188

3189-3198

3199-3208

3209-3218

3219-3228

3229-3238

3239-3248

3249-3258

3259-3268

3269-3278

3279-3288

3289-3298

3299-3308

3309-3318

3319-3328

3329-3338

3339-3348

3349-3358

3359-3368

3369-3378

3379-3388

3389-3398

3399-3408

3409-3418

3419-3428

3429-3438

3439-3448

3449-3458

3459-3468

3469-3478

3479-3488

3489-3498

3499-3508

3509-3518

3519-3528

3529-3538

3539-3548

3549-3558

3559-3568

3569-3578

3579-3588

3589-3598

3599-3608

3609-3618

3619-3628

3629-3638

3639-3648

3649-3658

3659-3668

3669-3678

3679-3688

3689-3698

3699-3708

3709-3718

3719-3728

3729-3738

3739-3748

3749-3758

3759-3768

3769-3778

3779-3788

3789-3798

3799-3808

3809-3818

3819-3828

33	44.2	11.1	0.1	3.7	1.7	16.9	18.9	3.2	0.2	100	36.9	15.9	393
34	56.9	7.6	0.3	4.2	1.7	6.3	20.7	1.8	0.3	100	22.9	12.6	509
35	36.1	6.4	1.1	6.1	2.0	11.6	33.9	1.8	0.7	100	40.9	22.3	311
36	18.2	4.8	1.1	5.3	1.5	11.2	23.0	34.1	0.5	100	15.7	11.1	747
37	22.4	5.5	1.7	6.9	3.0	13.2	30.4	14.4	2.3	100	42.5	20.9	334
38	47.2	4.0	0.6	7.4	2.9	9.1	26.6	1.8	0.4	100	27.5	7.6	464
39	36.9	4.3	0.3	8.8	2.3	9.7	33.2	4.0	0.4	100	16.5	7.7	471
40	52.8	6.0	0.1	5.3	1.8	8.4	23.8	1.6	0.1	100	12.4	6.9	893
41	32.7	12.4	0.6	13.2	3.8	6.7	26.8	3.0	0.1	100	23.5	10.4	574
42	28.7	8.2	0.5	10.9	2.9	8.0	35.8	3.8	0.8	100	23.5	35.5	252
43	14.2	10.9	1.5	9.6	5.8	13.8	28.9	5.3	3.0	100	10.1	7.1	1,392
44	23.1	7.8	0.2	9.6	2.3	14.1	28.6	2.7	0.2	100	12.0	8.0	1,188
45	50.9	4.0	0.1	8.8	2.3	15.1	16.2	2.4	0.1	100	10.3	7.4	1,252
46	68.0	3.6	0.1	8.8	1.6	9.8	8.8	1.9	0.1	100	14.9	10.4	946
47	55.8	4.4	0.2	7.7	1.5	17.9	8.9	3.5	0.1	100	8.4	6.1	1,350
48	60.4	1.3	0.2	2.0	1.0	20.9	1.4	10.3	0.9	100	7.5	5.2	1,686
49	36.1	17.7	0.4	2.9	1.4	5.7	15.0	15.9	0.9	100	5.2	4.8	2,147
50	80.5	1.9	0.1	2.9	1.3	21.2	9.1	8.1	0.1	100	6.3	11.7	2,056
51	17.4	8.1	0.3	26.7	2.3	48.0	18.7	3.8	1.1	100	15.5	9.4	816
52	14.0	5.1	0.1	7.5	1.5	34.7	0.4	0.3	1.1	100	14.1	17.5	917
53	0.1	3.6	0.9	55.6	2.2	20.6	9.7	11.2	0.5	100	9.6	5.9	1,630
54	47.3	3.1	1.0	4.3	0.9	8.6	10.6	6.9	0.2	100	4.4	3.1	2,894
55	41.1	2.4	24.9	2.9	1.2	25.9	1.9	4.4	0.2	100	8.3	8.2	1,275
56	55.9	0.8	0.2	5.4	1.2	65.2	0.4	20.3	-	100	6.3	2.3	1,672
57	10.4	2.1	-	1.0	0.6	-	-	-	-	100	-	-	-
58	20.2	1.0	-	2.1	2.2	63.5	3.4	7.6	-	100	18.5	14.1	435
59	53.8	6.8	-	2.8	1.2	24.5	3.5	7.4	-	100	8.8	3.9	931
60	53.2	0.6	-	1.3	1.5	39.8	1.7	1.7	-	100	16.3	3.3	807
61	66.2	1.5	0.1	7.6	3.6	9.9	6.3	4.4	-	100	17.1	8.6	536
62	87.9	2.9	0.1	2.0	1.0	2.5	2.6	2.6	-	100	6.5	4.2	1,546
63	69.8	4.7	0.3	6.8	1.7	5.6	7.8	2.3	0.2	100	14.3	6.6	987
64	60.7	14.6	-	4.2	1.1	8.5	9.5	1.4	-	100	11.7	4.9	981
65	42.2	5.1	0.3	8.6	2.0	15.7	20.7	3.9	1.1	100	39.1	11.3	361
66	58.8	5.2	0.2	8.6	1.6	9.6	12.9	2.5	0.5	100	24.4	9.4	518
67	48.9	3.0	0.9	19.1	3.1	9.9	17.4	2.3	1.6	100	21.0	9.0	651
68	51.8	19.0	0.5	3.2	1.9	3.6	13.3	1.8	4.6	100	29.7	17.1	311
69	68.2	7.6	0.1	4.3	1.4	4.0	12.7	1.3	11.0	100	12.6	5.7	1,112
70	21.1	11.9	0.7	8.9	6.2	15.2	19.0	4.9	4.6	100	53.7	24.5	211
71	44.6	8.8	0.4	10.8	3.7	9.5	16.5	3.2	0.4	100	31.5	12.6	379
72	48.6	2.0	0.2	7.8	4.9	18.2	10.4	4.5	0.4	100	22.8	9.4	775
73	66.3	4.3	0.2	13.1	3.4	8.0	6.9	2.4	0.6	100	18.1	5.2	453
74	47.9	2.4	0.2	16.0	5.0	15.9	8.3	6.5	0.6	100	31.4	6.2	640
75	47.1	3.7	0.1	16.2	4.8	16.4	7.2	3.1	0.3	100	22.4	4.9	491
76	49.6	2.3	0.5	16.2	5.8	10.8	7.3	8.0	0.3	100	24.0	6.2	894
77	61.8	9.4	0.1	7.2	3.4	9.5	5.9	2.3	0.1	100	15.7	15.7	894
78	57.4	4.7	0.2	6.0	2.9	16.6	8.4	3.1	0.5	100	6.3	3.2	934

Saskatchewan.....

APPENDIX—Continued

TABLE 3.—DISTRIBUTION OF FARM INCOME ACCORDING TO TYPE-OF-FARMING AREAS, 1941

PROVINCE	Area No.	PERCENTAGE VALUE OF FARM PRODUCTS SOLD											Products consumed as per cent of farm sales	Ratio of outside income to farm production	Average value of farm sales per farm	
		Wheat	Other grains and forage	Po-tatoes roots and tobacco	Vege-tables fruits and nursery	Dairy prod-ucts	Poultry and eggs	Cattle	Swine	Other animals and wool	Forest prod-ucts and honey	Total				
Manitoba.....	79	67.2	8.7	0.1	-	5.9	2.9	8.7	4.5	1.8	0.2	100	9.3	2.5	1,564	
	80	50.9	7.7	0.3	0.1	8.3	3.4	9.6	7.4	1.9	0.4	100	13.8	4.8	1,177	
	81	50.0	4.3	0.3	0.1	13.0	4.6	15.4	8.7	3.0	0.6	100	23.4	9.2	612	
	82	41.0	6.9	0.1	0.1	10.0	5.2	8.9	23.9	3.1	0.8	100	19.3	8.6	676	
	83	30.5	3.0	0.1	0.1	15.0	6.8	23.2	12.1	8.4	0.8	100	28.3	7.6	482	
	84	55.4	4.5	0.2	0.5	8.0	6.8	8.4	11.7	3.6	0.9	100	18.2	6.8	791	
	85	39.7	11.5	0.2	0.1	10.2	5.6	15.2	11.2	5.0	1.3	100	14.2	6.4	920	
	86	48.7	18.1	1.4	0.5	6.9	3.5	7.9	9.6	1.9	1.5	100	10.0	6.5	1,562	
	87	3.9	2.1	0.1	-	34.7	5.1	34.2	8.4	8.6	2.9	100	26.7	11.4	466	
	88	33.1	10.4	0.3	-	16.2	3.8	14.4	9.8	4.7	7.3	100	28.9	7.4	436	
	89	18.8	8.9	0.4	0.3	24.2	5.5	12.6	10.1	13.8	5.4	100	34.6	21.7	440	
	90	27.1	6.9	2.6	0.9	26.8	5.2	10.4	15.2	4.2	0.7	100	15.3	10.6	906	
	91	44.7	10.6	1.7	1.2	9.5	5.5	9.5	13.7	2.7	0.9	100	10.3	7.0	1,640	
	92	54.4	13.3	2.7	0.3	7.7	4.9	4.8	10.0	1.6	0.3	100	9.7	3.5	1,640	
	93	7.5	3.5	4.8	8.2	34.3	7.1	8.1	14.9	9.5	2.1	100	13.3	11.4	866	
	94	3.0	10.5	1.1	0.3	15.8	3.5	12.4	4.1	6.6	42.7	100	50.4	21.7	283	
	95	41.2	11.1	2.9	0.7	20.1	4.6	5.9	8.0	4.3	1.2	100	12.9	7.5	1,015	
	96	46.7	8.1	3.7	1.2	12.6	4.7	6.7	9.8	3.5	3.0	100	29.6	18.0	480	
	Ontario.....	97	0.3	8.3	5.0	3.1	27.6	28.8	2.3	0.6	0.5	23.5	100	30.1	39.7	693
		98	0.2	12.1	1.1	0.3	20.5	18.5	10.3	7.7	2.8	26.5	100	35.2	35.8	809
		99	0.8	14.4	1.8	1.6	23.0	9.1	15.2	9.7	10.7	13.7	100	36.9	42.9	359
		100	-	4.2	8.2	4.5	36.2	14.2	5.6	2.9	16.3	7.9	100	27.2	35.9	611
		101	0.4	6.4	3.0	4.6	40.3	13.8	14.9	6.8	4.9	4.9	100	32.4	33.1	557
		102	0.4	4.5	0.5	1.7	22.8	10.3	34.8	5.6	11.3	8.1	100	29.6	10.6	646
		103	0.2	5.7	4.2	0.7	13.2	4.1	6.7	7.1	5.2	52.9	100	51.4	63.8	366
		104	-	9.1	5.1	1.1	48.8	8.9	9.8	6.1	3.4	7.7	100	34.1	49.6	480
		105	0.3	7.1	0.8	1.4	35.8	10.6	24.5	7.0	7.7	4.8	100	25.0	16.8	1,128
106		-	2.7	6.8	2.8	47.3	8.7	14.0	7.7	2.6	7.4	100	38.6	32.3	462	
107		-	5.3	2.6	0.7	31.5	7.8	17.6	6.1	6.8	21.6	100	48.6	19.5	450	
108		0.1	2.9	0.9	0.9	26.5	8.1	24.7	7.3	6.9	21.7	100	42.9	19.1	470	
109		3.6	4.4	1.5	10.3	22.2	9.1	20.0	22.3	4.0	2.6	100	15.9	7.0	916	
110		3.0	4.0	2.1	1.3	18.1	11.7	30.0	23.9	4.3	1.6	100	13.1	6.1	1,053	

111	19.1	9.7	9.8	6.1	8.3	14.0	1.0	0.2	100	7.2	8.2	1,586
112	27.1	33.1	10.5	5.3	3.6	12.2	0.8	0.1	100	7.0	8.7	1,871
113	18.2	1.8	7.5	9.7	17.2	20.5	1.8	0.7	100	9.6	9.3	1,315
114	4.5	6.1	37.8	9.9	17.0	16.9	2.0	0.6	100	8.0	10.3	1,452
115	1.6	2.1	60.7	7.8	10.7	13.8	1.0	0.3	100	7.5	8.8	1,485
116	1.7	1.7	12.8	3.3	3.3	4.4	0.8	0.7	100	11.4	5.0	1,604
117	6.9	4.0	27.5	18.4	17.0	16.7	3.2	1.8	100	6.2	12.9	989
118	1.5	72.0	10.0	5.6	3.6	3.6	0.9	0.3	100	8.7	17.6	1,513
119	3.0	11.4	37.5	11.4	12.0	12.4	2.0	0.6	100	10.2	11.4	1,332
120	3.3	8.5	28.7	10.2	18.6	22.8	3.0	1.0	100	7.6	7.6	1,407
121	-	-	-	-	-	-	-	-	-	-	-	1,055
122	2.5	7.0	30.3	12.0	20.4	17.7	3.6	1.5	100	13.3	11.4	907
123	0.7	3.1	42.9	9.6	13.6	20.9	2.5	2.9	100	17.0	8.7	1,048
124	1.0	28.6	27.4	9.7	9.9	14.9	2.2	1.9	100	14.1	9.1	1,026
125	0.1	2.5	58.1	7.7	11.3	11.7	2.3	3.5	100	15.1	7.3	990
126	0.4	2.4	27.1	10.2	24.6	11.8	6.3	4.3	100	18.4	6.2	1,019
127	-	4.2	48.9	8.4	13.0	13.7	1.1	2.2	100	15.5	6.6	1,148
128	-	0.7	58.7	13.1	10.5	13.2	1.1	1.6	100	12.6	5.7	1,148
129	22.5	1.2	39.9	3.7	9.8	7.6	5.3	7.0	100	45.6	37.3	283
130	11.8	0.6	32.7	7.1	8.3	7.1	2.7	25.6	100	57.0	48.8	246
131	10.1	0.8	38.2	8.0	10.8	10.2	4.8	13.8	100	41.0	29.7	376
132	8.0	0.2	41.9	4.0	11.2	19.0	5.3	7.0	100	39.9	24.9	431
133	5.1	0.6	32.4	6.2	10.7	8.0	4.5	29.9	100	51.7	23.1	406
134	12.4	0.5	31.0	9.1	18.0	14.1	5.5	7.0	100	28.4	9.9	744
135	5.1	1.6	48.5	8.0	11.7	11.0	3.0	8.3	100	28.1	10.1	704
136	7.1	5.7	34.9	10.7	6.8	8.3	2.2	18.1	100	32.3	34.2	688
137	2.8	2.4	62.0	5.7	10.3	6.8	1.8	5.6	100	16.0	5.5	1,259
138	35.9	0.0	24.6	6.2	5.9	11.8	2.0	2.9	100	14.4	5.5	1,168
139	4.7	6.5	41.3	8.3	11.2	16.0	1.8	4.2	100	18.9	8.5	921
140	3.1	0.1	66.3	4.4	15.6	5.4	2.4	2.6	100	10.8	5.5	3,059
141	4.7	1.4	53.9	5.3	10.2	11.4	2.1	5.5	100	15.0	7.5	1,037
142	2.8	29.0	28.8	5.3	5.9	15.0	1.1	2.6	100	11.7	4.3	1,290
143	8.7	23.3	32.4	7.4	6.7	7.8	1.2	2.3	100	12.8	5.4	1,230
144	3.9	1.5	25.0	6.0	4.8	10.6	1.4	1.4	100	16.3	5.6	1,024
145	1.5	0.2	37.2	9.3	8.2	10.4	2.6	21.8	100	26.5	7.5	588
146	5.8	-	31.5	1.2	6.5	4.0	1.3	48.4	100	30.6	32.4	624
147	10.9	2.4	57.4	5.1	10.2	11.0	1.5	6.6	100	32.5	8.5	718
148	3.8	2.6	36.9	11.7	8.2	12.8	3.6	6.2	100	20.9	6.2	852
149	1.6	0.8	59.2	6.1	8.5	14.4	1.7	4.3	100	21.6	12.5	712
150	6.1	5.8	44.1	7.5	8.6	17.4	1.5	5.6	100	17.5	5.8	863
151	2.2	2.4	60.3	11.2	10.2	22.8	2.1	10.0	100	24.7	12.2	682
152	1.1	0.8	35.9	6.3	11.2	17.4	4.3	6.5	100	15.4	12.6	967
153	1.7	0.2	28.8	4.0	14.1	8.7	2.3	23.0	100	28.9	12.5	599
154	3.1	0.0	28.8	3.3	8.8	13.4	4.8	39.0	100	50.6	22.3	315
155	2.9	0.5	40.6	4.2	12.0	11.9	6.0	19.9	100	51.6	24.7	342
156	1.1	0.4	31.9	6.5	13.2	12.8	7.2	26.3	100	34.0	11.0	521

Quebec.....

APPENDIX—Concluded

TABLE 3.—DISTRIBUTION OF FARM INCOME ACCORDING TO TYPE-OF-FARMING AREAS, 1941

PROVINCE	Area No.	PERCENTAGE VALUE OF FARM PRODUCTS SOLD											Total	Products consumed as per cent of farm sales	Ratio of outside income to farm production	Average value of farm sales per farm
		Wheat	Other grains and forage	Po-tatoes roots and tobacco	Vege-tables fruits and nursery	Dairy prod-ucts	Poultry and-eggs	Cattle	Swine	Other animals and wool	Forest prod-ucts and honey	Forest prod-ucts and honey				
Quebec.— <i>Conc.</i>	157	-	1-1	1-1	0-4	26-6	7-7	15-5	11-5	5-8	30-3	100	39-8	14-0	390	
	158	-	1-4	1-2	0-5	31-4	15-0	11-9	23-8	5-2	9-6	100	26-2	7-2	621	
	159	-	7-2	4-1	3-3	57-0	7-4	7-9	8-2	0-9	4-0	100	16-8	9-3	1,043	
	160	-	1-7	11-0	24-0	22-3	12-6	5-1	10-0	4-9	8-4	100	22-3	7-2	904	
	161	-	1-9	4-6	5-0	44-0	5-6	9-9	17-7	5-9	5-4	100	24-3	6-9	748	
	162	-	3-0	1-0	3-2	54-7	5-5	9-4	10-7	2-8	9-7	100	34-5	12-5	606	
	163	-	3-4	5-5	1-2	39-8	7-0	8-0	12-2	4-3	18-6	100	31-5	11-3	642	
	164	-	1-9	4-0	4-4	57-5	6-1	8-0	10-0	2-6	5-5	100	24-2	15-3	885	
	165	-	2-5	4-1	2-2	23-2	8-8	7-1	6-0	10-8	35-3	100	47-0	23-2	473	
	166	-	4-1	3-0	1-9	50-0	7-0	7-5	16-1	5-9	4-5	100	30-8	14-3	801	
	167	-	3-3	6-2	2-1	33-7	4-7	8-7	10-6	5-8	22-9	100	68-0	44-8	310	
	168	-	4-2	2-7	1-0	33-9	6-6	9-7	10-1	6-7	25-1	100	81-4	41-0	239	
	169	-	-	18-4	8-5	15-3	4-1	8-5	7-9	2-5	34-8	100	34-8	8-7	771	
	170	-	4-3	7-0	2-4	38-5	6-2	9-5	17-1	5-5	9-5	100	34-9	11-4	496	
	171	-	7-3	3-3	1-1	28-2	3-2	7-4	11-2	4-3	34-0	100	66-7	65-0	234	
	172	-	8-7	5-7	2-4	16-0	3-6	11-3	4-3	5-2	42-8	100	134-5	69-7	124	
	173	-	10-3	3-9	1-5	23-2	11-0	10-8	6-2	6-7	26-4	100	113-0	53-2	174	
New Brunswick.....	174	-	12-6	13-5	1-4	27-8	8-2	7-7	5-2	6-2	17-4	100	59-8	65-7	250	
	175	-	8-7	3-7	0-7	20-0	7-2	8-6	5-0	5-7	39-9	100	65-8	28-7	287	
	176	-	8-1	60-6	0-2	7-7	2-0	5-0	4-0	2-3	10-1	100	24-7	13-2	707	
	177	0-3	13-3	39-8	0-4	11-5	5-6	5-6	7-6	4-5	11-4	100	24-1	16-0	725	
	178	-	3-3	6-3	4-6	29-7	8-7	8-5	7-6	5-7	25-6	100	31-6	23-5	560	
	179	0-1	9-1	6-8	1-6	19-2	7-5	8-0	4-7	6-7	36-3	100	82-4	59-5	178	
	180	-	4-4	7-2	30-6	17-2	6-5	9-7	7-9	4-0	12-5	100	35-1	16-6	517	
	181	-	2-8	2-6	4-5	55-4	7-7	9-1	7-2	4-8	5-9	100	20-6	16-9	790	
	182	-	2-4	1-8	1-8	24-8	5-6	10-2	8-6	28-2	16-6	100	27-8	24-4	626	
	183	-	4-9	1-8	3-0	43-5	8-6	10-4	9-0	6-1	11-8	100	29-4	29-7	551	
184	0-1	5-5	7-4	1-6	20-6	12-5	13-8	8-0	11-6	18-9	100	56-5	34-5	289		
Nova Scotia.....	185	-	4-3	3-0	6-4	36-0	10-3	12-4	6-9	4-2	16-5	100	28-7	32-0	500	
	186	-	1-8	5-0	51-1	15-2	6-6	7-8	5-0	2-7	4-8	100	14-9	17-2	917	
	187	-	3-0	3-7	6-4	29-2	9-2	16-9	4-7	9-6	17-3	100	55-0	53-1	262	

188	-	1.5	2.8	4.9	17.6	6.7	17.3	3.9	4.8	40.5	100	55.1	40.7	285
189	-	1.9	2.6	1.9	66.7	5.5	10.9	2.3	2.0	6.2	100	16.2	18.8	931
190	-	4.2	2.8	3.0	14.4	8.0	13.0	2.5	12.0	40.1	100	95.4	61.8	150
191	-	1.2	7.2	6.4	57.9	12.7	5.6	1.2	3.0	4.8	100	36.2	58.8	410
192	-	7.9	3.3	1.4	19.0	7.9	14.2	3.9	22.4	20.0	100	116.7	49.1	158
193	-	3.2	3.0	2.7	23.6	14.9	19.3	4.5	15.1	13.7	100	65.2	34.7	256
194	-	3.3	2.8	3.9	47.0	11.4	10.8	6.6	4.4	9.8	100	32.6	33.4	422
195	-	5.0	44.6	0.9	11.9	7.6	6.8	13.2	7.1	2.9	100	36.4	20.3	379
196	0.1	4.5	22.7	1.1	16.4	10.4	12.4	14.6	16.1	1.7	100	26.2	14.4	488
197	0.4	2.9	30.5	0.2	14.9	9.1	8.7	9.7	12.8	1.8	100	18.9	5.9	781
198	0.3	10.9	25.3	0.4	11.3	17.7	9.1	8.7	13.8	2.5	100	41.4	17.7	347
Prince Edward														
Island.....														



TYPES OF PRODUCTION

Specialty	Combination
WHEAT	
GRAIN	
DAIRY	
LIVESTOCK	
SPECIAL CROPS	
FRUIT AND VEGETABLES	
MIXED FARMING	
FOREST PRODUCTS	
OTHER	

ORGANIZATION

COMMERCIAL	SEMI-COMMERCIAL
SELF-SUFFICIENT	PART-TIME
PART-TIME	SELF-SUFFICIENT

- BRITISH COLUMBIA**
1. PRINCE RUPERT: dairy combination, dairy, beef cattle, market garden, potatoes.
 2. BELLA COOLA: livestock specialty, (self-sufficing), (part-time), beef cattle, sheep.
 3. CAMPBELL RIVER: dairy combination, (part-time), (semi-commercial), dairy, livestock, poultry.
 4. NANAIMO COURTNEY: dairy combination, dairy, poultry, livestock.
 5. COWICHAN: dairy combination, dairy, poultry, livestock, market garden.
 6. VICTORIA: dairy combination, dairy, market garden, small fruits.
 7. SAANICH: fruit and vegetable specialty, orchard and market garden, vegetable seeds and bulbs.
 8. SALTSpring ISLANDS: mixed, (semi-commercial), poultry, livestock, small fruits.
 9. LILOOET: livestock specialty, range beef cattle and sheep, market garden, small fruits.
 10. LOWER FRASER VALLEY: mixed, intensive dairy, poultry, small fruits, market garden, potatoes.
 11. HOPE: dairy specialty, dairy, market garden.
 12. GRANAGRA VALLEY: fruit and vegetable specialty, orchard, small fruits, market garden.
 13. GRAND FORD: fruit and vegetable combination, vegetables and orchard, beef cattle, grain.
 14. ARROW LAKE: dairy combination, (semi-commercial), (part-time), dairy, poultry, livestock, orchard.
 15. NELSON: GRESTON: fruit and vegetable combination, small fruits, wheat, dairy, poultry.
 16. KASLO-CAMROSE: dairy combination, dairy, beef cattle, poultry, tree fruits.
 17. FERNIE: dairy combination, dairy, beef cattle.
 18. GOLDEN: WINDERMERE: livestock combination, (semi-commercial), (part-time), beef cattle and sheep, dairy, feed grain.
 19. REVELSTOCK: dairy combination, (semi-commercial), (part-time), lumbering, dairy, wine and cattle, forest products, poultry.
 20. SALMON ARM: mixed, orchard, dairy, wine, grain, dairy, feed grain.
 21. MAMDOX: livestock combination, beef cattle and sheep, dairy, feed grain, dairy, poultry.
 22. PRINCE GEORGE: mixed, (self-sufficing), (part-time), feed grain, beef cattle, dairy, poultry.
 23. WINTERLAND: mixed, (self-sufficing), (part-time), livestock, feed grain, dairy.
 24. WANDERHOFF: livestock specialty, (semi-commercial), beef cattle and sheep, feed grain, dairy.
 25. KREKA: BULKLEY: mixed, dairy, timothy, clover and alfalfa seed, beef cattle.
 26. FRASER RIVER: FORT ST. JOHN: livestock combination, (semi-commercial), wine and beef cattle, wheat.
 27. FRASER RIVER: POUCE COUPE: wheat specialty, wheat, wine, beef cattle.
- ALBERTA**
28. UPPER CREEK: livestock combination, (self-sufficing), beef cattle and wine, wheat and feed grain, dairy.
 29. GRANDE PRAIRIE: wheat specialty, wheat and feed grain, grain, wine, dairy, poultry.
 30. GRANDE PRAIRIE SOUTH: livestock specialty, (self-sufficing), beef cattle and sheep, dairy.
 31. BEAVERHILL: mixed, (self-sufficing), (part-time), wheat, specialty, wheat.
 32. CLEAR HILLS, I.C. Border: livestock combination, (semi-commercial), wine, beef cattle, wheat and feed grain, dairy.
 33. CLEAR HILLS: grain combination, (semi-commercial), wheat and feed grain, wine and beef cattle.
 34. BEAVER RIVER SOUTH: wheat combination, wheat, wine and beef cattle.
 35. FERNIE: livestock combination, (semi-commercial), wine and beef cattle, wheat.
 36. BORDERTOWN: livestock specialty, livestock, wheat, feed grain, wheat, feed grain, wheat.
 37. TELAND, CALLING LAKE: livestock combination, (semi-commercial), wine and beef cattle, wheat.
 38. ATHABASCA: wheat combination, (semi-commercial), wheat, wine and beef cattle.
 39. LAC LA BICHE, BONNYVILLE: livestock combination, (semi-commercial), wine and beef cattle, wheat.
 40. SMOKE LAKE, VERMILION, LLOYDMINSTER: wheat combination, wheat and beef cattle, wheat.
 41. EDMONTON: grain combination, wheat, wine, dairy, feed grain, dairy, poultry.
 42. STONY PLAIN, SANDOZ: livestock combination, wine, wheat, dairy, poultry.
 43. EDMONTON: livestock combination, (semi-commercial), wine and beef cattle, wheat and feed grain, dairy.
 44. WETASKIN, RED OAK, ORO: livestock combination, wine and beef cattle, wheat, dairy.
 45. WINTERLAND, STETTLER: wheat combination, wheat, wine and beef cattle, dairy.
- MANITOBA**
46. CAMROSE ALLIANCE, WAINWRIGHT: wheat specialty, wheat, beef cattle and wine.
 47. HARDISTY, CZAR: wheat combination, wheat, beef cattle and wine.
 48. BERRY CREEK, MEDICINE HAT: wheat specialty, wheat, beef cattle and wine.
 49. BROOKS, VALDHAL, IRRIGATION AREA: grain combination, wheat and feed grain, livestock.
 50. HANNA, THREE HILLS, NANTON, WARNER: wheat specialty, wheat, beef cattle and sheep, wheat.
 51. CALGARY: mixed, livestock, dairy, wheat.
 52. SOUTHERN FOOTHILLS: livestock specialty, range beef cattle, sheep, wheat.
 53. COLEMAN: dairy combination, dairy, range beef cattle, sheep, wheat.
 54. CARDSTON WEST, PINCHER CREEK: livestock combination, range beef cattle and sheep, wheat.
 55. TABER, RAYMOND IRRIGATION AREA: mixed, wheat, sugar beets, range beef cattle.
 56. MILK RIVER, MEDICINE HAT SOUTH: wheat combination, wheat, range beef cattle.
 57. MANYBERRIES: livestock specialty, range beef cattle and sheep, wheat, range beef cattle.
 58. WEAVERDALE, WHEATFIELD: mixed, wheat, range beef cattle, sheep, wheat.
 59. CONSUL: livestock specialty, range beef cattle, wheat, range sheep.
 60. HATTON, MAPLE CREEK: wheat combination, wheat, range beef cattle, range sheep.
 61. VAL MARE, SOUTHEAST: livestock combination, range beef cattle, wheat.
 62. HERBERT, CHAPLIN: wheat specialty, wheat, livestock.
 63. CENTRAL PLAINS AREA: wheat specialty, wheat, livestock.
 64. SASKATON, SHELLBROOK, BUTTFORD: wheat specialty, wheat, livestock, dairy.
 65. LLOYDMINSTER: wheat combination, wheat, wine and beef cattle, cattle, sheep.
 66. GODDARD, MEADOW LAKE and BIG RIVER: livestock combination, (semi-commercial), wine and beef cattle, wheat, dairy, feed grain.
 67. SASKATON, SPIRITWOOD, DEERIN: wheat specialty, wheat, wine and beef cattle, dairy.
 68. WERDALL, WHITE FOX: grain specialty, (semi-commercial), wheat, feed grain, wine, clover and alfalfa seed.
 69. HUMBERT, MELFORT: wheat specialty, wheat, wine, barley, beef cattle.
 70. FRASER RIVER, HUDSON BAY JUNCTION: livestock combination, (semi-commercial), wine and beef cattle, wheat and feed grain, dairy, lumber.
 71. STURGIS, CARBONARA, BANNOCK: wheat combination, (semi-commercial), wine and beef cattle, dairy.
 72. FOAM LAKE, WEST HATTON: wheat, beef cattle and wine, dairy.
 73. CENTRAL EASTERN SASKATCHEWAN: wheat specialty, wheat, livestock, dairy.
 74. KELLISER: wheat combination, wheat, beef cattle and wine, dairy.
 75. BRANDVIEW, LANGENBURG, YORKTON: wheat combination, wheat, beef cattle and wine, dairy.
 76. QUAPPALLE, ODESSA, STOUGHTON: wheat combination, wheat, beef cattle and wine, dairy.
 77. SOUTH EASTERN SASKATCHEWAN: wheat specialty, wheat, livestock, dairy.
 78. MARYFIELD: wheat combination, wheat, beef cattle and wine, dairy.
- ONTARIO**
79. SOUTHWEST MANITOBA: wheat specialty, wheat, beef cattle and wine, dairy.
 80. BRANTON, MINNEBODA, KILBURN, SHOAL LAKE: wheat specialty, wheat, beef cattle and wine.
 81. BINGSCARTH, ROBLIN: wheat combination, wheat, beef cattle and wine, dairy.
 82. SWAN RIVER: wheat combination, wheat, wine, dairy, poultry.
 83. STE. ROSE DU LAC, WINNIPEGOSIS: livestock combination, livestock, wheat, dairy.
 84. DAUPHIN, GRANVILLE: wheat specialty, wheat, wine and beef cattle.
 85. DALHOUSIE, MCCRACKEN: grain combination, wheat and barley, beef cattle and wine, dairy.
 86. PORTAGE LA PRAIRIE: grain specialty, wheat and barley, beef cattle and wine, dairy.
 87. WINTERLAND, WESTERN: livestock combination, beef cattle, dairy.
 88. WINTERLAND, NORTH: grain combination, wheat and feed grain, beef cattle and wine, dairy.
- QUEBEC**
89. GULF: mixed, (semi-commercial), livestock, dairy, grain.
 90. STONEMOUND: mixed, dairy, wheat, wine and beef cattle.
 91. WINNIPEG WEST, CAMAN: grain combination, wheat, wine and beef cattle, poultry.
 92. WINNIPEG SOUTH, MORDEN: grain specialty, wheat, wine, range beef cattle and sheep, wheat.
 93. ST. BONIFACE, MARCHAND, STURABURN: dairy combination, dairy, livestock, market garden, (part-time), (semi-commercial), dairy, feed grain, poultry.
 94. SOUTH-EASTERN MANITOBA: forest products combination, (semi-commercial), dairy, crop specialty, potatoes, dairy, grain.
 95. EAST SELKIRK, MOLDEN, RICHLAND: grain combination, wheat, dairy, livestock, feed grain, poultry.
 96. BROCKTON, WHITEMOUTH: grain combination, wheat, livestock, dairy.
 97. KENDRA: mixed, (part-time) dairy, poultry, grain, forest products, dairy, livestock, forest products.
 98. DRYDEN: mixed, (part-time) dairy, livestock, forest products, poultry, range beef cattle, sheep, wheat.
 99. BAINVILLE: mixed, (part-time), (semi-commercial), dairy, livestock, forest products, poultry, feed grain and hay.
 100. FORT WILLIAM, PORT ARTHUR: dairy combination, (part-time), dairy, sheep and beef cattle, poultry.
 101. SAULT STE. MARIE: dairy combination, dairy, livestock, poultry.
 102. MANTOULIN ISLAND: livestock specialty, dairy, beef cattle, sheep, dairy, poultry.
 103. HARTST FOSTER: livestock combination, (self-sufficing), (part-time), forest products, livestock, dairy.
 104. COCHRANE: dairy combination, (part-time), (semi-commercial), dairy, livestock, poultry.
 105. NEW LISIARD: dairy combination, dairy, beef cattle, poultry.
 106. SUDBURY: dairy combination, (semi-commercial), dairy, livestock, poultry, potatoes.
 107. PARRY SOUND, HALBURTON: mixed, (semi-commercial), dairy, livestock, forest products.
 108. LENOX, PETERBOROUGH NORTH, MUSKOGA: mixed, (semi-commercial), livestock, dairy, forest products, wine and beef cattle, dairy, poultry, hay.
 109. SIMCOE NORTH: livestock combination, wine and beef cattle, dairy, orchard, poultry, market garden.
 110. NORTHERN PARTS SOUTHWESTERN ONTARIO: livestock specialty, beef cattle and wine, dairy, poultry.
 111. ESSEX, KENT SOUTH: mixed, corn, tobacco, sugar beets, wine and beef cattle, market garden.
 112. ESSEX, KENT NORTH: mixed, corn, tobacco, sugar beets, wine and beef cattle, market garden, and vegetable combination, market garden, tobacco, wine.
 113. SOUTH LAMBTON WEST: livestock combination, wine and beef cattle, corn, sugar beets.
 114. WOODSTOCK, LONDON ST. THOMAS: dairy combination, dairy, beef cattle and wine.
 115. DORCHESTER, OXFORD TOWNSHIPS: dairy specialty, dairy, wine and beef cattle.
 116. NORFOLK: crop specialty, tobacco.
 117. HALDIMAND: livestock combination, beef cattle and wine, dairy, poultry.
 118. NIAGARA PENINSULA: fruit and vegetable specialty, orchard, vineyards, market garden.
 119. WELAND, BRANTFORD, NORTH YORK: dairy combination, dairy, beef cattle and wine, poultry, orchard.
 120. NEWMARKET, GUELPH, STRATFORD: livestock combination, wine and beef cattle, wine, poultry, orchard.
 121. TORONTO, BELLEVILLE, LAKE SHORE: fruit and vegetable combination, orchard, market garden, dairy.
 122. PETERBOROUGH: livestock combination, beef cattle and wine, dairy, poultry.
 123. HASTINGS, ADDINGTON: dairy combination, dairy, poultry.
 124. PRINCE EDWARD: mixed, raising crops and orchard, wine and beef cattle, poultry.
 125. KINGSTON: dairy specialty, dairy, wine and beef cattle.
 126. PORTER, RICHMOND, PEMBROKE: livestock combination, beef cattle and wine, dairy, poultry, feed grain.
 127. YORK: SOUTH AND EAST: dairy combination, dairy, wine and beef cattle, poultry.
 128. CORNWALL: dairy specialty, dairy, wine and beef cattle, poultry.
- NEW BRUNSWICK**
129. RESTIGUOIE, EAST SHORE: mixed, (semi-commercial), (part-time), dairy, livestock, forest product, potatoes.
 130. CRESSMAN: mixed, forest product, livestock, dairy, potatoes.
 131. SOUTH SHORE ST. LAWRENCE RIVER: dairy combination, dairy, wine and beef cattle, potatoes.
 132. MAYANE: mixed, (part-time), (self-sufficing), forest product, dairy, livestock.
 133. BONAVENTURE: mixed, (part-time), (self-sufficing), forest product, dairy, livestock.
 134. ST. JEROME: mixed, dairy, forest products, livestock, poultry.
 135. LACHUTE: dairy specialty, dairy, beef cattle and wine.
 136. VAUDUICE, SULLIVAN WEST: crop combination, flax, range beef cattle, dairy, livestock.
 137. SAULT PERDU, BEAUVARDES: dairy combination, dairy, wine and beef cattle, orchard.
 138. ST. ZENON: forest products combination, forest products, wine and beef cattle, poultry.
 139. MISSISSQUO: dairy specialty, dairy, wine and beef cattle, orchard.
 140. HUNTINGTON CENTRE: dairy specialty, dairy, beef cattle, dairy, livestock, poultry, hay.
 141. COCHRANE: dairy combination, (part-time), (semi-commercial), dairy, livestock, poultry.
 142. ROUILLIE: mixed, dairy, orchard, wine, tobacco.
 143. MONTREAL: mixed, dairy, market garden, livestock, potatoes, dairy, forest product, dairy, livestock.
 144. L'ASSOMPTION, JOLIEUX: crop combination, tobacco, dairy, wine.
 145. ST. JULIENNE, DE RAMSAY: mixed, dairy, forest products, wine and beef cattle, orchard.
 146. ST. ZENON: forest products combination, forest products, wine and beef cattle, poultry, hay.
 147. BERTHERVILLE, THREE RIVERS: dairy combination, dairy, wine and beef cattle, poultry, hay.
 148. YAMASKA NORTH: dairy specialty, dairy, wine and beef cattle.
 149. CRUMMONVILLE: mixed, wine and beef cattle, dairy.
 150. ST. SURES, ST. HYACINTHE, GRANBY: dairy combination, dairy, dairy.
 151. WATERLOO, ACTONVILLE, ARTHABASCA, NICOLET: dairy combination, dairy, wine and beef cattle, dairy, forest product.
 152. KENT, SOUTH-EAST: mixed, (semi-commercial), (part-time), livestock, dairy, forest product.
 153. SHERBROOKE, RICHMOND: dairy specialty, dairy, beef cattle and wine, dairy, forest product.
 154. COMPTON, WOLF: mixed, dairy, beef cattle and wine, forest product, livestock, dairy, poultry, hay.
 155. WOODSTOCK, LONDON, ST. THOMAS: dairy, dairy, forest products, livestock, dairy, poultry, hay.
 156. SOUTH-EASTERN UNITED STATES BOUNDARY: livestock combination, (semi-commercial), forest products, forest products, dairy, livestock.
 157. SOUTH-WEST COASTAL REGION: livestock combination, (semi-commercial), forest products, forest products, forest product.
 158. MEGANTIC, BEAUCVILLE: dairy combination, (semi-commercial), dairy, livestock, forest product, maple syrup.
 159. WESTMONTREAL: dairy combination, dairy, forest product, (part-time), (semi-commercial), forest product, beef cattle.
 160. L'ORVILLE SOUTH: mixed, dairy, forest product, livestock, dairy, forest product.
 161. LEVIS SOUTH, DORCHESTER NORTH: livestock combination, wine and beef cattle, dairy, poultry.
 162. ST. JOHN, SUZEX: dairy specialty, dairy, wine and beef cattle.
 163. COPE BRETON: dairy specialty, dairy, wine and beef cattle.
 164. LOUISVILLE: mixed, dairy, forest product, maple syrup.
 165. LOUISVILLE NORTH: dairy combination, dairy, wine and beef cattle.
 166. ST. PROSPER: dairy specialty, dairy, wine and beef cattle.
 167. PORTNEUF WEST: dairy combination, dairy, forest product, forest product, forest product.
 168. SOUTH-WEST INVER REGION: forest product combination, (part-time), (semi-commercial), forest product, beef cattle.
 169. TRURO: dairy specialty, dairy, beef cattle.
 170. EASTERN COAST: forest product combination, (part-time), (self-sufficing), forest product, sheep and beef cattle, dairy.
 171. COPE BRETON: dairy specialty, dairy, wine and beef cattle.
 172. INVERNESS, VICTORIA: livestock combination, (part-time), (self-sufficing), forest product, dairy, forest product.
 173. ANTOINGISH: livestock combination, (self-sufficing), sheep and beef cattle, dairy, forest product.
 174. PICOU: dairy combination, dairy, livestock, poultry.
- PRINCE EDWARD ISLAND**
175. EAST POINT: mixed, (semi-commercial), forest product, (semi-commercial), forest product, livestock, dairy, forest product.
 176. CROFTON: mixed, (semi-commercial), forest product, livestock, potatoes, dairy, forest product.
 177. SOUTHWEST: crop combination, potatoes, livestock, dairy, forest product.
 178. LAKE ST. JOHN: dairy combination, dairy, livestock.
 179. SAUNDERS RIVER NORTH: mixed, (part-time), (self-sufficing), (semi-commercial), livestock, potatoes, poultry, dairy, hay.

CANADA

TYPE-OF-FARMING AREAS, 1941

COMPILED BY
AGRICULTURAL ECONOMICS DIVISION, DEPARTMENT OF AGRICULTURE
IN CO-OPERATION WITH
CENSUS DIVISION, DOMINION BUREAU OF STATISTICS,
DEPARTMENT OF TRADE AND COMMERCE

Scale, 1:336,000 or 1 Inch to 100 Miles

100 0 100 200 300 400
Miles

Cartography by the Drafting and Reproducing Division, Geological Survey, Mines, Forests and Scientific Services Branch, Department of Mines and Resources, 1948. Lithographed and printed by the Geological Section, G.S., Department of National Defence.